



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	03.01.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	03.01.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/214921	2137301013669	Rishab Agarwal	29	M	Nasal Swab	03.01.2022	Negative	9937394444	I-9 Civil Township Rourkela
02	Cov/214922	2137301013673	Prisha Agarwal	6 Months	F	Nasal Swab	03.01.2022	Negative	9937394444	I-9 Civil Township Rourkela
03	Cov/214923	2137301013680	Dhruv Agarwal	14	M	Nasal Swab	03.01.2022	Negative	9937477632	T-03 Civil Township Rourkela
04	Cov/214924	2137301013684	Sresth Agarwal	8	M	Nasal Swab	03.01.2022	Negative	9937477632	T-03 Civil Township Rourkela
05	Cov/214926	2137301013696	Naresh Agarwal	43	M	Nasal Swab	03.01.2022	Negative	9937477632	T-3 Civil Township Rourkela
06	Cov/214927	2137301013701	Santosh Kumar Sahu	31	M	Nasal Swab	03.01.2022	Negative	8447446310	M-17 Phase-1 Chhend Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela