

DEPARTMENT OF MICROBIOLOGY ISPAT GENERAL HOSPITAL

SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	03.01.2023; 03:00 P.M.						
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela						
SPECIMEN DETAILS							
Date & Time of sample collection	01.01.2023; 09:00 A.M.						
Date & Time of receipt of specimen	02.01.2023; 08:30 A.M.						
Condition of specimens received / Quality on arrival	Acceptable						
REPORTING DETAILS							

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019- nCoV	Mobile No.	Address
01	Cov/316416	2137301476842	DUHITA PATTNAIK	60	F	Nasal Swab	03.01.2023	Negative	8280453471	BASANTI COLONY RKL
02	Cov/316417	2137301476843	SACHIN SURIN	21	М	Nasal Swab	03.01.2023	Negative	9937836687	DURNA PANI NUAGAON SNG

Prepared by: Checked and Approved by:

Knechna

Krishna Ch. Majhi

Dr. Rajeev Kr. Seth

डा. राजीव कुमार सेट Dr. RAJEEV KUMAR SETH Consultant Microbiologist SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR