



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	03.02.2022; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	03.02.2022; 09:30 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/242378	2137301144435	Anita Ekka	26	F	Nasal Swab	03.02.2022	Negative	9437085951	C/355,Koelnagar, Rourkela
2	Cov/242391	2137301140955	Suchitra Mohanty	56	F	Nasal Swab	03.02.2022	Negative	9337380492	Kutra RKL SNG
3	Cov/242381	2137301140823	Sikandara Hembram	34	M	Nasal Swab	03.02.2022	Negative	9583422704	Jalda A Block RKL
4	Cov/242382	2137301140832	Subodh Kujur	28	M	Nasal Swab	03.02.2022	Negative	9938167936	Jalda B Block RKL
5	Cov/242383	2137301140842	Basen Majhi	39	M	Nasal Swab	03.02.2022	Negative	8260649621	Sector-21 Bhawanipur RKL
6	Cov/242384	2137301140850	Muni Singh	30	F	Nasal Swab	03.02.2022	Negative	7008827693	Balughat Panposh RKL
7	Cov/242385	2137301140902	Loknath Tanty	36	M	Nasal Swab	03.02.2022	Negative	9337325399	Ruputola RKL

Prepared by:

Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela