



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	03.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	01.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	03.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/319626	2137301501561	Afrozi Khatoon	60	F	Nasal Swab	03.04.2023	Negative	9090737608	Nalaroad Rourkela
02	Cov/319627	2137301501564	Pushpa Kishan	2	F	Nasal Swab	03.04.2023	Negative	8280584844	Nayabazar RKL
03	Cov/319628	2137301501566	Asha Dungdung	22	F	Nasal Swab	03.04.2023	Negative	7848817546	Panposh Rourkela
04	Cov/319629	2137301501567	Nila Madhab Panda	62	M	Nasal Swab	03.04.2023	Negative	9556870445	Ram Nagar RKL
05	Cov/319630	2137301501568	Asha Xaxa	13	F	Nasal Swab	03.04.2023	Negative	7681034831	Lungei Basti Vedvyas RKL
06	Cov/319631	2137301501570	Banamali Seth	39	M	Nasal Swab	03.04.2023	Negative	7978989533	Osap Rourkela
07	Cov/319632	2137301501572	Sadhu Charan Jena	61	M	Nasal Swab	03.04.2023	Negative	8327729550	Nepali Pada Bondamunda
08	Cov/319633	2137301501698	Asmita Pal	20	F	Nasal Swab	03.04.2023	Negative	7656927178	Jhirpani RKL
09	Cov/319634	2137301501699	Rina Das	22	F	Nasal Swab	03.04.2023	Negative	9348337173	Koila Gate Bondamunda
10	Cov/319635	2137301501700	Bikram Kishor Mahakud	44	M	Nasal Swab	03.04.2023	Negative	9778415350	Chhend Colony RKL
11	Cov/319636	2137301501701	Rina Nahar	40	F	Nasal Swab	03.04.2023	Negative	7848029694	R S Colony Bondamunda
12	Cov/319637	2137301501702	Soudamani Choini	56	F	Nasal Swab	03.04.2023	Negative	9937114135	Mali Bagicha Kuarmunda
13	Cov/319638	2137301501703	Lipsa Sahu	22	F	Nasal Swab	03.04.2023	Negative	7873983244	Power House Road RKL
14	Cov/319639	2137301501704	Suklal Oram	24	M	Nasal Swab	03.04.2023	Negative	7325837631	Talbahal Lahunipada
15	Cov/319640	2137301501705	Jaya Deo	30	F	Nasal Swab	03.04.2023	Negative	9337368874	Jail Road RKL
16	Cov/319641	2137301501706	Mamina Nag	24	F	Nasal Swab	03.04.2023	Negative	9556035609	Sector 3 Rourkela
17	Cov/319642	2137301501707	Rashmi Pharua	25	F	Nasal Swab	03.04.2023	Negative	8144270181	Birmitrapur Sng
18	Cov/319643	2137301501708	Sulami Soy	28	F	Nasal Swab	03.04.2023	Negative	9348876138	Jalambira Birmitrapur
19	Cov/319644	2137301501710	Pinki Devi	28	F	Nasal Swab	03.04.2023	Negative	9583260407	Daily Market RKL
20	Cov/319645	2137301501712	Charua Xalxo	60	M	Nasal Swab	03.04.2023	Negative	9668888611	Balani Lathikata
21	Cov/319646	2137301501713	Bahadur Munda	48	M	Nasal Swab	03.04.2023	Negative	9439524494	Bhutura Lahunipada

22	Cov/319647	2137301501714	Sivlan Barla	26	M	Nasal Swab	03.04.2023	Negative	9337897421	Balughat RKL
23	Cov/319648	2137301501715	Krushna Chandra Sahoo	60	M	Nasal Swab	03.04.2023	Negative	7978308194	Fertilizer RKL

Prepared by:

Hemanti Sabar



Checked and Approved by:

Dr. Ashit Bhusan Xess



डा. अशित भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR