



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	03.09.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	02.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	03.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/300798	2137301403488	Pooja Nayak	27	F	Nasal Swab	03.09.2022	Negative	9668189537	C-05 Koelnagar, RKL
02	Cov/300799	2137301403490	Dilip Kumar Behera	35	M	Nasal Swab	03.09.2022	Negative	9937099060	Uditnagar, RKL
03	Cov/300800	2137301403491	Manjit Kumar Arora	61	M	Nasal Swab	03.09.2022	Negative	9437043344	U-15 Civil Town Ship, RKL
04	Cov/300801	2137301403492	Vansh Agarwal	22	M	Nasal Swab	03.09.2022	Negative	8328880621	Hariyana Bhawan Bramni Hight, RKL

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR