



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	04.03.2022; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	03.03.2022; 09:00 A.M.
Date & Time of receipt of specimen	04.03.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/257650	2137301212878	Shruti Ral	19	F	Nasal Swab	04.03.2022	Negative	7846860037	FE-84 Basanti Colony RKL
2	Cov/257651	2137301212884	Sashi Kanta Bhuyan	50	M	Nasal Swab	04.03.2022	Negative	8249069924	L/84 Chhend RKL
3	Cov/257652	2137301212888	Biswanath Muduli	63	M	Nasal Swab	04.03.2022	Negative	9437238969	C2L2 103 Chhend RKL
4	Cov/257654	2137301212801	Puja Devi	21	F	Nasal Swab	04.03.2022	Negative	7683970979	MS Palli RKL
5	Cov/257655	2137301212808	Priya Barata Pradhan	38	M	Nasal Swab	04.03.2022	Negative	9853761193	Civil Township Near Hockey Stadium
6	Cov/257656	2137301213085	Munasi Choudhary	50	M	Nasal Swab	04.03.2022	Negative	9132215589	Malgodam RKL
7	Cov/257657	2137301213095	P Luka Reddy	50	M	Nasal Swab	04.03.2022	Negative	8658313146	Deogaon Fertilizer RKL
8	Cov/257658	2137301213104	Tara Devi	57	F	Nasal Swab	04.03.2022	Negative	8908185078	Bisra Road RKL
9	Cov/257659	2137301214452	Jibardhan Gandha	55	M	Nasal Swab	04.03.2022	Negative	9178045444	Pidapathar Gadposh Sambalpur
10	Cov/257660	2137301214463	Debashi Tripathy	54	M	Nasal Swab	04.03.2022	Negative	9437487148	BL-8 Basanti Colony RKL
11	Cov/257661	2137301214469	Puja Kansari	30	F	Nasal Swab	04.03.2022	Negative	7681868919	Luakera Rourkela
12	Cov/257662	2137301213020	Jhana Rani Das	45	F	Nasal Swab	04.03.2022	Negative	8260872375	STI Rourkela
13	Cov/257663	2137301213051	Soudamini Nath	34	F	Nasal Swab	04.03.2022	Negative	8114338963	Mallik Basti Sector-15 RKL
14	Cov/257664	2137301213060	Rasmita Bhara	26	F	Nasal Swab	04.03.2022	Negative	9439308613	MIG-2 259 Kalinga Vihar Chhend
15	Cov/257665	2137301213073	Manalisa Mukhi	29	F	Nasal Swab	04.03.2022	Negative	7847854393	Bonadmuand RKL
16	Cov/257666	2137301213081	Laxmi Urmakuli	25	F	Nasal Swab	04.03.2022	Negative	9583739083	
17	Cov/257667	2137301213116	Urmilla Tanty	37	F	Nasal Swab	04.03.2022	Negative	6371822723	Tilkanagar Bondamunda RKL
18	Cov/257669	2137301213129	Shegufta Fatima	29	F	Nasal Swab	04.03.2022	Negative	8327779850	Nalaroad RKL
19	Cov/257670	2137301214475	Soumya Prakash Prusti	20	M	Nasal Swab	04.03.2022	Negative	7008178369	HD-65 Chhend Rourkela
20	Cov/257671	2137301214479	Sidharth Das	24	M	Nasal Swab	04.03.2022	Negative	9337725436	ST-7/1 Station Colony Rourkela
21	Cov/257672	2137301214483	Arati Maity	72	F	Nasal Swab	04.03.2022	Negative	8093771390	RP Line Rourkela
22	Cov/257673	2137301214488	Umang Kanudia	30	M	Nasal Swab	04.03.2022	Negative	9776464889	BL-81 Basanti Colony RKL

23	Cov/257674	2137301214491	Mamata Kullu	23	F	Nasal Swab	04.03.2022	Negative	8917416846	Chi Katmati Lathikata RKL
24	Cov/257675	2137301214497	Joyit Chakraborty	52	M	Nasal Swab	04.03.2022	Negative	9438887687	A-470 Koelnagar RKL
25	Cov/257676	2137301214501	Anamira Sahoo	25	F	Nasal Swab	04.03.2022	Negative	7008875117	D-23 Koelnagar RKL
26	Cov/257677	2137301214506	Soumya Ranjan Nayak	25	M	Nasal Swab	04.03.2022	Negative	8114638780	C-79 Sector-2 Rourkela
27	Cov/257678	2137301214509	Sukanta Tripathy	42	M	Nasal Swab	04.03.2022	Negative	7735014521	A-100 Sector-15 RKL
28	Cov/257679	2137301214513	Debo Kishan	58	M	Nasal Swab	04.03.2022	Negative	7991073128	Chhend Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



डा. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR