



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, Rourkela**

**COVID-19 (RT-PCR) Test Report**


Date and time of reporting	04.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	03.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	04.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/319673	2137301501926	Soma Dhara	19	F	Nasal Swab	04.04.2023	Negative	8984712751	Gurudwara Road RKL
2	Cov/319674	2137301501928	Abdul Rauf	62	M	Nasal Swab	04.04.2023	Negative	9437951039	Achanak Colony Bisra
3	Cov/319675	2137301501930	Lalita Dutta	30	F	Nasal Swab	04.04.2023	Negative	7008148151	Koila Gate Bondamunda
4	Cov/319676	2137301501932	Lalita Badaik	28	F	Nasal Swab	04.04.2023	Negative	9777634645	Civiltownship RKL
5	Cov/319677	2137301501937	Biras Khadia	35	F	Nasal Swab	04.04.2023	Negative	9937046463	Uditnagar RKL
6	Cov/319678	2137301501938	Nimai Chandra Das	71	M	Nasal Swab	04.04.2023	Negative	9337187859	Chhend Colony RKL
7	Cov/319679	2137301501941	Sabitri Chakra	67	F	Nasal Swab	04.04.2023	Negative	9438169899	Basanti Colony RKL
8	Cov/319680	2137301501942	Karuna Luha	34	F	Nasal Swab	04.04.2023	Negative	9692800594	Sector 6 Rourkela
9	Cov/319681	2137301501943	Santi Mahanta	50	F	Nasal Swab	04.04.2023	Negative	7848986489	Sukha Bandh Lahunipada
10	Cov/319682	2137301501944	Raj Tigga	18	M	Nasal Swab	04.04.2023	Negative	7750800987	Kuarmunda Kardega
11	Cov/319683	2137301501945	Archana Kumari	11	F	Nasal Swab	04.04.2023	Negative	7205915302	Malgodam Rourkela
12	Cov/319684	2137301501947	Seema Goud	21	F	Nasal Swab	04.04.2023	Negative	8480966769	Basanti Colony RKL
13	Cov/319685	2137301501949	Ayush Ariya	16	M	Nasal Swab	04.04.2023	Negative	7853995681	Basanti Colony RKL
14	Cov/319686	2137301501951	Bikash Sahu	27	M	Nasal Swab	04.04.2023	Negative	9153377226	Gumla Jharkhand
15	Cov/319687	2137301501953	Basanti Kishan	24	F	Nasal Swab	04.04.2023	Negative	9348705679	Gadatoli Rourkela
16	Cov/319688	2137301501955	Subrat Mohanty	56	M	Nasal Swab	04.04.2023	Negative	8763323276	Basanti Colony RKL
17	Cov/319689	2137301501957	Subash Gupta	20	M	Nasal Swab	04.04.2023	Negative	8292448613	Jhirpani RKL
18	Cov/319690	2137301501959	Hoho Devi	58	F	Nasal Swab	04.04.2023	Negative	9438227895	G B Palli RKL
19	Cov/319691	2137301501962	Pramila Bading	23	F	Nasal Swab	04.04.2023	Negative	8144337179	Sagjore Rajgangpur
20	Cov/319692	2137301501964	Kabita Devi	36	F	Nasal Swab	04.04.2023	Negative	9692482669	Malgodam Rourkela
21	Cov/319693	2137301501966	Prasana Kumar Sathpathy	48	M	Nasal Swab	04.04.2023	Negative	7735119180	Khutgaon Bonai

22	Cov/319694	2137301501967	Sobha Devi	40	F	Nasal Swab	04.04.2023	Negative	9692482669	Malgodam Rourkela
23	Cov/319695	2137301501969	Gurubari Bhumij	50	F	Nasal Swab	04.04.2023	Negative	7894955824	ABC Colony RKL
24	Cov/319696	2137301501971	Krishna Rajak	66	M	Nasal Swab	04.04.2023	Negative	9937646145	Kalunga Sundargarh
25	Cov/319697	2137301501973	Uttam Parida	36	M	Nasal Swab	04.04.2023	Negative	8328895747	G B Palli RKL
26	Cov/319698	2137301501975	Jinid Kandir	54	M	Nasal Swab	04.04.2023	Negative	9178308961	Damdapada Rajgangpur
27	Cov/319699	2137301502012	Neha Kumari	18	F	Nasal Swab	04.04.2023	Negative	7205915302	Malgodam Rourkela
28	Cov/319700	2137301502013	Rajib Agnihotri	40	M	Nasal Swab	04.04.2023	Negative	9861115300	Vedvyas Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशित भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR