



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	04.07.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	03.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	04.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/279744	2137301311406	Budhuram Munday	60	M	Nasal Swab	04.07.2022	Negative	8917474314	Kokerama Bisra
02	Cov/279745	2137301311407	Jujhar Majhi	42	M	Nasal Swab	04.07.2022	Negative	9438226468	Lathikata Tangarpalli
03	Cov/279746	2137301311408	Alfash Dungdung	45	M	Nasal Swab	04.07.2022	Negative	8018305778	G D Palli RKL
04	Cov/279747	2137301311409	Santoshi Bai	21	F	Nasal Swab	04.07.2022	Negative	7788025306	G D Palli RKL
05	Cov/279748	2137301311410	Saroj Kumar Nayak	49	M	Nasal Swab	04.07.2022	Negative	9348284570	Narayan Market Sector 22 Rourkela
06	Cov/279749	2137301311411	Kamala Badaik	61	F	Nasal Swab	04.07.2022	Negative	9938543878	Chikatmati Jhartarang
07	Cov/279750	2137301311412	Pooja Kuila	19	F	Nasal Swab	04.07.2022	Negative	8328896583	Basanti Colony RKL
08	Cov/279751	2137301311413	Om Prakash Parida	14	M	Nasal Swab	04.07.2022	Negative	9438067805	Kalinga Housing Chhend Colony
09	Cov/279752	2137301311414	Muskan Bara	11	F	Nasal Swab	04.07.2022	Negative	9668158195	B Tarang Jhartarang
10	Cov/279753	2137301311415	Sonu Patra	7	F	Nasal Swab	04.07.2022	Negative	8763848957	Nayabazar Sector 21 Rourkela
11	Cov/279754	2137301311416	Santosh Kumar Behera	26	M	Nasal Swab	04.07.2022	Negative	9556070575	Basanti Colony RKL

Prepared by:

Krishna Ch. Majhi

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhushan Xess

Dr. Ashit Bhushan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*