



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	04.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	03.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	04.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/290916	2137301364524	Sridhar Dash	23	M	Nasal Swab	04.08.2022	Negative	8093170998	G-90 Sector-2, Rourkela
02	Cov/290917	2137301364513	Sankarsan Biswal	65	M	Nasal Swab	04.08.2022	Negative	8093587953	B-178 Sector-6, Rourkela
03	Cov/290918	2137301364516	Minati Das	66	F	Nasal Swab	04.08.2022	Negative	9853676870	C-292 C-Block Sector-6, Rourkela
04	Cov/290919	2137301364519	Amar Dakua	32	M	Nasal Swab	04.08.2022	Negative	7815092576	Golghar Sector-5, Rourkela
05	Cov/290920	2137301364523	Braj Kishor Das	66	M	Nasal Swab	04.08.2022	Negative	8763645252	Sector-6, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR