



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	04.10.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	02.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	04.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/155575	Sushil Kujur	29	M	Nasal Swab	04.10.2021	Negative	9556236607	Kadambahal Rajgangpur
02	Cov/155576	Sivnarayan Gandha	14	F	Nasal Swab	04.10.2021	Negative	8658245827	Laing Rajgangpur
03	Cov/155577	Basanta Nayak	17	M	Nasal Swab	04.10.2021	Negative	8984527601	Bilaigarh Laing
04	Cov/155578	Phulmani Lakra	25	F	Nasal Swab	04.10.2021	Negative	8457048375	Khajurdihi Laing
05	Cov/155579	Sanjukta Bhagat	30	F	Nasal Swab	04.10.2021	Negative	8249461332	Esi Colony Kansbahal
06	Cov/155580	Galla Minz	50	M	Nasal Swab	04.10.2021	Negative	8018090743	Laing Kansbahal
07	Cov/155581	Khati Kujur	65	F	Nasal Swab	04.10.2021	Negative	7008664988	Kumbharpada Laing
08	Cov/155582	Prafula Lakra	42	M	Nasal Swab	04.10.2021	Negative	8480583490	Kalodihi Kansbahal
09	Cov/155583	Niranjana Gouda	40	M	Nasal Swab	04.10.2021	Negative	8596967468	Gosalapada,Rajgangpur Pin:770017
10	Cov/155584	Vishal Yadav	20	M	Nasal Swab	04.10.2021	Negative	8287189271	Gosalapada,Rajgangpur Pin:770017
11	Cov/155585	Snigdha Mohanty	19	F	Nasal Swab	04.10.2021	Negative	7682040321	Oclcolony,Rajgangpur Pin:770017
12	Cov/155586	Arjun Maharana	60	M	Nasal Swab	04.10.2021	Negative	8018814319	Sindhipada,Rajgangpur Pin:770017
13	Cov/155587	Kumudini Gouda	45	F	Nasal Swab	04.10.2021	Negative	9668259476	Goudapada,Rajgangpur Pin:770017
14	Cov/155588	Bhakta Bhandhu Rana	60	M	Nasal Swab	04.10.2021	Negative	7008275060	Liploi,Rajgangpur Pin:770017
15	Cov/155589	Rashmi Ranjan Naik	35	F	Nasal Swab	04.10.2021	Negative	7504885169	Itcolony,Rajgangpur Pin:770017
16	Cov/155590	Deepa Rani Xalxo	26	F	Nasal Swab	04.10.2021	Negative	9003732643	Chc,Rajgangpur Pin:770017
17	Cov/155591	Susmita Soreng	24	F	Nasal Swab	04.10.2021	Negative	7327962479	Chc Rajgangpur Pin:770017
18	Cov/155592	Pradeep Lakra	30	M	Nasal Swab	04.10.2021	Negative	9348948855	Barupada,Rajgangpur Pin:770017
19	Cov/155593	Mamata Madki	22	F	Nasal Swab	04.10.2021	Negative	7609075550	Chc,Rajgangpur Pin:770017

20	Cov/155594	Susma Parahit	40	F	Nasal Swab	04.10.2021	Negative	8249247896	Bagichapada,Rajgangpur Pin:770017
21	Cov/155595	Jharna Dansena	34	F	Nasal Swab	04.10.2021	Negative	7749912814	Rajgangpur Pin:770017
22	Cov/155596	Susant Rani	38	M	Nasal Swab	04.10.2021	Negative	9668523119	Kutra,Rajgangpur Pin:770017
23	Cov/155597	Sohan Kerketta	9	M	Nasal Swab	04.10.2021	Negative	9337443090	Sindhipada,Rajgangpur Pin:770017
24	Cov/155598	Aditya Singh	17	M	Nasal Swab	04.10.2021	Negative	9337246227	Mscolony,Rajgangpur Pin:770014
25	Cov/155599	Sajid Hussain	40	M	Nasal Swab	04.10.2021	Negative	8328897216	Wardno-4,Rajgangpur Pin:770017

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR