



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	04.10.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	03.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	04.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/155866	Kamla Mahanta	45	F	Nasal Swab	04.10.2021	Negative	8895530458	Sukhaband
02	Cov/155867	Ramakanta Mahanta	20	M	Nasal Swab	04.10.2021	Negative	8917556972	Kariadihi
03	Cov/155868	Kumara Mahanta	21	M	Nasal Swab	04.10.2021	Negative	7205794971	Arkeikela
04	Cov/155869	Kushal Munda	38	M	Nasal Swab	04.10.2021	Negative	8480772629	Dalamkucha
05	Cov/155870	Phulmani Behera	19	F	Nasal Swab	04.10.2021	Negative	9022917097	Takara
06	Cov/155871	Anita Munda	21	F	Nasal Swab	04.10.2021	Negative	8280721716	Sagadiaposh
07	Cov/155872	Minjari Munda	22	F	Nasal Swab	04.10.2021	Negative	9247038149	Sagadiaposh
08	Cov/155873	Puspanjali Mahanta	23	F	Nasal Swab	04.10.2021	Negative	8895850876	Mundagaon
09	Cov/155874	Sukanti Dung Dung	19	F	Nasal Swab	04.10.2021	Negative	8280734108	Kachada
10	Cov/155875	Chanda Mahanta	70	F	Nasal Swab	04.10.2021	Negative	7735793502	Rengalbeda
11	Cov/155876	Dhirendra Mahanta	17	M	Nasal Swab	04.10.2021	Negative	8658931741	Gudhiali
12	Cov/155877	Ajay Singh	44	M	Nasal Swab	04.10.2021	Negative	9438227498	Rajamunda
13	Cov/155878	Bharat Mahanta	14	M	Nasal Swab	04.10.2021	Negative	7854834138	Kudeikela
14	Cov/155879	Jaydev Kishan	60	M	Nasal Swab	04.10.2021	Negative	8280864929	Raikelapoh
15	Cov/155937	Abha Sahu	20	F	Nasal Swab	04.10.2021	Negative	9777703873	Bonai, Bonai
16	Cov/155938	Mina Munda	17	F	Nasal Swab	04.10.2021	Negative	7656884452	Kundeidiha, Gurundia
17	Cov/155939	Sailajnath Panda	12	M	Nasal Swab	04.10.2021	Negative	9337047972	Bonai, Bonai
18	Cov/155940	Susama Patra	45	M	Nasal Swab	04.10.2021	Negative	8249856894	C362 Sec-06, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*