



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	05.11.2021; 05:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	05.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/177545	2137300882488	Santilata Barik	47	F	Nasal Swab	05.11.2021	Negative	6370355207	B2/78 Bsanti Colony Rourkela
2	Cov/177546	2137300882496	Nilambar Diggar	27	M	Nasal Swab	05.11.2021	Negative	7894262126	Orampada Sundargarh
3	Cov/177547	2137300882505	Nibiul Khan	24	M	Nasal Swab	05.11.2021	Negative	7718681872	Nalaroad Rourkela
4	Cov/177548	2137300882532	Manini Das	44	F	Nasal Swab	05.11.2021	Negative	9090941339	Malgodam Rourkela
5	Cov/177549	2137300882538	Radhika Sahu	26	F	Nasal Swab	05.11.2021	Negative	7735451411	GB Palli Rourkela
6	Cov/177550	2137300882542	Dhananjaya Singh	17	M	Nasal Swab	05.11.2021	Negative	6372246035	Nayabazar Rourkela
7	Cov/177551	2137300882545	Gobind Singh	13	M	Nasal Swab	05.11.2021	Negative	6372246035	Nayabazar Rourkela
8	Cov/177552	2137300882547	Mahaveer Sahoo	67	M	Nasal Swab	05.11.2021	Negative	6372220257	Labour Tournament Rourkela
9	Cov/177553	2137300882550	Juliani Khalku	55	F	Nasal Swab	05.11.2021	Negative	8280967314	Patrapali Sundargarh
10	Cov/177554	2137300882552	Harekrushna Swain	31	M	Nasal Swab	05.11.2021	Negative	7008673181	Basanti Colony Rourkela
11	Cov/177559	2137300882563	Gudiya Patanayak	26	F	Nasal Swab	05.11.2021	Negative	9437601947	STI Rourkela
12	Cov/177560	2137300882564	Manashi Sahoo	30	F	Nasal Swab	05.11.2021	Negative	9777425342	Basanti Colony Rourkela
13	Cov/177561	2137300882566	Jayanti Nayak	51	F	Nasal Swab	05.11.2021	Negative	9439432211	SOS Village Rourkela
14	Cov/177562	2137300882569	Sujata Rout	30	F	Nasal Swab	05.11.2021	Negative	9337491221	Sector-6 Rourkela
15	Cov/177563	2137300882572	Rakhi Thakur	36	F	Nasal Swab	05.11.2021	Negative	9777672127	Vedvyas Rourkela
16	Cov/177564	2137300882574	Nandini Behera	27	F	Nasal Swab	05.11.2021	Negative	8917591704	Sitalpada Rourkela
17	Cov/177565	2137300882576	Juhi Yasmin	28	F	Nasal Swab	05.11.2021	Negative	9938144406	Bisra Rourkela
18	Cov/177566	2137300882577	Goutam Sahu	27	M	Nasal Swab	05.11.2021	Negative	8984612087	Orampada Rourkela
19	Cov/177571	2137300882588	Arifa Ahemed	25	F	Nasal Swab	05.11.2021	Negative	9776242130	Panposh Rourkela
20	Cov/177572	2137300882591	Shantilata Satapathy	34	F	Nasal Swab	05.11.2021	Negative	7978975967	Kansbahal Sundargarh

21	Cov/177573	2137300882253	Sibani Munda	14	F	Nasal Swab	05.11.2021	Negative	8280148536	Chirubeda Bisra
22	Cov/177574	2137300882258	Vivek Subbl	39	M	Nasal Swab	05.11.2021	Negative	9641674984	Kaliaposh Bisra
23	Cov/177575	2137300882266	Kamda Devi	30	F	Nasal Swab	05.11.2021	Negative	8984769050	Bisra Bisra
24	Cov/177576	2137300882274	Ali Ahamad	24	M	Nasal Swab	05.11.2021	Negative	6203593942	Gudgudjor Bisra

Prepared by:




Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR