



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	06.03.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	06.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/318811	2137301495094	Priti Palavi Nayak	39	F	Nasal Swab	06.03.2023	Negative	9437862118	Rp Line Qno 163 Rkl
2	Cov/318812	2137301495095	Panipath Mahanta	50	M	Nasal Swab	06.03.2023	Negative	8144801632	Kaikera Nuagaon
3	Cov/318813	2137301495096	Rama Kanta Suna	33	M	Nasal Swab	06.03.2023	Negative	7854938310	Sector 2 G Block Basti Rkl
4	Cov/318814	2137301495150	Neha Devi	32	F	Nasal Swab	06.03.2023	Negative	8328812765	Ms Palli Rkl
5	Cov/318815	2137301495154	Propjot Singh	15	M	Nasal Swab	06.03.2023	Negative	9938870657	Sonaparbat Upper Balijodi Rkl
6	Cov/318816	2137301495158	Lovely Ray Singh	19	F	Nasal Swab	06.03.2023	Negative	9337565234	Shakti Nagar Rkl
7	Cov/318817	2137301495162	Puspa Lakra	18	F	Nasal Swab	06.03.2023	Negative	7849046386	Kansbahal Sng
8	Cov/318819	2137301495168	Dharmendra Sahoo	28	M	Nasal Swab	06.03.2023	Negative	7230581933	Netaji Nagar Sng
9	Cov/318820	2137301495171	Razia Khatoon	31	F	Nasal Swab	06.03.2023	Negative	9437612211	Sector 8 Gola Khatal Rkl
10	Cov/318821	2137301495176	Suman Bit	20	M	Nasal Swab	06.03.2023	Negative	9348042739	Lathikata Horin Colony
11	Cov/318822	2137301495180	Babita Devi	24	F	Nasal Swab	06.03.2023	Negative	8002033114	Ambedkar Nagar Rkl
12	Cov/318823	2137301495182	Rita Kishan	32	F	Nasal Swab	06.03.2023	Negative	6372589567	Kuarmunda Sundargarh
13	Cov/318824	2137301495183	Sakil	48	M	Nasal Swab	06.03.2023	Negative	9861266527	Bisra Lamp Road Rkl
14	Cov/318825	2137301495184	Suprava Das	25	F	Nasal Swab	06.03.2023	Negative	7847935217	Fertilizer Rkl
15	Cov/318826	2137301495187	Leuni Panna	60	F	Nasal Swab	06.03.2023	Negative	9337640852	Luakera Rkl
16	Cov/318827	2137301495189	Sony Devi	28	F	Nasal Swab	06.03.2023	Negative	8895418229	Gb Palli Rkl
17	Cov/318828	2137301495192	Chandrakant Sahoo	19	M	Nasal Swab	06.03.2023	Negative	7815081858	Sector 21 Rameswar Palli Rkl
18	Cov/318829	2137301495194	Shanti Dung Dung	35	F	Nasal Swab	06.03.2023	Negative	9777754297	Iti Vyas Nagar Rkl
19	Cov/318830	2137301495196	Nabanita Pal	38	F	Nasal Swab	06.03.2023	Negative	8238621280	Dandiapalli Rkl
20	Cov/318831	2137301495199	Sureya Begum	18	F	Nasal Swab	06.03.2023	Negative	7609957473	Plant Site Rkl
21	Cov/318832	2137301495201	Sana Perween	24	F	Nasal Swab	06.03.2023	Negative	7077852252	Mehetab Road Rkl

22	Cov/318833	2137301495208	Pitrush Ekka	60	M	Nasal Swab	06.03.2023	Negative	8144019198	Balughat Rkl
23	Cov/318834	2137301495211	Shankar Saw	60	M	Nasal Swab	06.03.2023	Negative	7855867261	Gb Palli Rkl
24	Cov/318835	2137301495213	Sunita Hembram	22	M	Nasal Swab	06.03.2023	Negative	9438348282	Ashurchapal Katuatola
25	Cov/318836	2137301495216	Karmi Kullu	60	F	Nasal Swab	06.03.2023	Negative	9348485942	Jambahal Raiboga
26	Cov/318837	2137301495218	Rakesh Nag	18	M	Nasal Swab	06.03.2023	Negative	6371547803	Bijadihi Bonai
27	Cov/318838	2137301495219	Dasmi Oram	19	F	Nasal Swab	06.03.2023	Negative	9827408322	Sti Rourkela
28	Cov/318839	2137301495221	Budhni Mahali	65	F	Nasal Swab	06.03.2023	Negative	7205858303	Deogaon Sundargarh

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशित भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*