



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.04.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela CHC, BIRKERA
SPECIMEN DETAILS	
Date & Time of sample collection	05.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	06.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/319782	2137301502443	Kabita Sahu	33	F	Nasal Swab	06.04.2023	Negative	9853625597	Sonaparbat
02	Cov/319783	2137301502440	Anima Kerketta	25	F	Nasal Swab	06.04.2023	Negative	8658346367	Sonaparbat
03	Cov/319784	2137301502441	Rashmita Sahu	22	F	Nasal Swab	06.04.2023	Negative	8658904066	Sonaparbat
04	Cov/319785	2137301502444	Karmi Toppo	50	F	Nasal Swab	06.04.2023	Negative	9853625597	Sonaparbat
05	Cov/319786	2137301502445	Sushila Toppo	26	F	Nasal Swab	06.04.2023	Negative	7847878122	Sonaparbat
06	Cov/319787	2137301502445	Soniya Kujur	28	F	Nasal Swab	06.04.2023	Negative	6371869027	Sonaparbat
07	Cov/319788	2137301502447	Anita Toppo	23	F	Nasal Swab	06.04.2023	Negative	8280177513	Sonaparbat
08	Cov/319789	2137301502448	Basanti Xalxo	26	F	Nasal Swab	06.04.2023	Negative	8763028532	Sonaparbat
09	Cov/319790	2137301502449	Nandia Kerketta	50	F	Nasal Swab	06.04.2023	Negative	8763028532	Sonaparbat
10	Cov/319791	2137301502450	Santoshi Kerketta	17	F	Nasal Swab	06.04.2023	Negative	9439736421	Sonaparbat
11	Cov/319792	2137301502451	Gangamani Samasi	55	F	Nasal Swab	06.04.2023	Negative	9853625597	Sonaparbat

Prepared by:

Checked and Approved by:

Hemanti

Hemanti Sabar

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrate any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

(SP)/