



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	05.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/291528	2137301366644	Prafulla Maharana	59	M	Nasal Swab	06.08.2022	Negative	9337909061	L-6 Basanti Colony, Rourkela
02	Cov/291529	2137301366669	Ajit Singh	27	M	Nasal Swab	06.08.2022	Negative	8847871806	Mmm-11 Civil Township, Rourkela
03	Cov/291530	2137301366682	Mohammed Nasir Ahemmed	36	M	Nasal Swab	06.08.2022	Negative	9556490336	H-390 Sector-8, Rourkela
04	Cov/291531	2137301366696	Manoj Kumar Singh	54	M	Nasal Swab	06.08.2022	Negative	9437152383	Jalda C Block Lathikata, Rourkela
05	Cov/291532	2137301366710	Shila Devi	50	F	Nasal Swab	06.08.2022	Negative	9437152383	Jalda C Block Lathikata, Rourkela
06	Cov/291533	2137301366718	Satyanarayan Mohanty	44	M	Nasal Swab	06.08.2022	Negative	9437001362	JE-41 Jagda, Rourkela, Sundargarh
07	Cov/291534	2137301366724	Niranjan Senapati	56	M	Nasal Swab	06.08.2022	Negative	9861246957	JE-370 Jagda, Rourkela, Sundargarh
08	Cov/291535	2137301366730	Paresh Kumar Panda	53	M	Nasal Swab	06.08.2022	Negative	9338016890	NR-17 Jagda Shakti Nagar, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

डॉ. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrat (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR