



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	06.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/292138	2137301368798	Sushreeta Das	54	F	Nasal Swab	06.08.2022	Negative	8895500454	C-69,Sector-2, Rourkela
02	Cov/292139	2137301368832	Yajna Prakash Das	61	M	Nasal Swab	06.08.2022	Negative	8895500454	C-69,Sector-2, Rourkela
03	Cov/292140	2137301368847	Shraddha Suman Dash	32	F	Nasal Swab	06.08.2022	Negative	8895500454	C-69,Sector-2, Rourkela
04	Cov/292141	2137301368892	Ishaan Dash Muralidharan	6	M	Nasal Swab	06.08.2022	Negative	8895500454	C-69,Sector-2, Rourkela
05	Cov/292142	2137301368904	Siya Dash Muralidharan	2 Months	F	Nasal Swab	06.08.2022	Negative	8895500454	C-69,Sector-2, Rourkela
06	Cov/292143	2137301368978	Pitawala Kankanamage Vihanga Madusha Senevirathne	25	M	Nasal Swab	06.08.2022	Negative	8457028552	NIT, Rourkela, Sundargarh
07	Cov/292144	2137301368983	Harekrushna Behera	67	M	Nasal Swab	06.08.2022	Negative	8895500834	S3H2-11,RDA Colony, Rourkela
08	Cov/292145	2137301368987	Pranati Kumari Nayak	63	F	Nasal Swab	06.08.2022	Negative	8895500834	S3H2-11,RDA Colony, Rourkela
09	Cov/292146	2137301368995	Raj Kishore Jaiswal	48	M	Nasal Swab	06.08.2022	Negative	7008916089	Uditnagar, Rourkela
10	Cov/292147	2137301369005	Neelima Jaiswal	48	F	Nasal Swab	06.08.2022	Negative	7008916089	Uditnagar, Rourkela
11	Cov/292148	2137301369011	Pati Tapaban Tripathi	44	M	Nasal Swab	06.08.2022	Negative	9437011726	S3M/43 Rda Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशित भुषन खेस
Dr. Ashit Bhusan Xess
Consultant Microbiologist
SAIL, RSP, RSP, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*