



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.08.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	05.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/291536	2137301366784	Rashmita Jena	40	F	Nasal Swab	06.08.2022	Negative	8249111025	C-104 Sector-4, Rourkela
02	Cov/291537	2137301366789	Kalyani Mugri	35	F	Nasal Swab	06.08.2022	Negative	9777711762	Sector-7, Rourkela
03	Cov/291538	2137301366792	Rina Suna	45	F	Nasal Swab	06.08.2022	Negative	9777711762	Sector-7, Rourkela
04	Cov/291539	2137301366797	Somendra Kumar Pattanaik	48	M	Nasal Swab	06.08.2022	Negative	9861600699	HIGV- 215 Phase -3 Chhend, Rourkela
05	Cov/291540	2137301366804	Parikhit Kundu	50	M	Nasal Swab	06.08.2022	Negative	8763220593	E-105 Sector-7, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR