



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.10.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	06.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/156407	Sumi Mahakul	14	F	Nasal Swab	06.10.2021	Negative	9861959274	Govt Highschool Sihidia -Sng-770044
2	Cov/156246	Kulanti Kolleth	25	F	Nasal Swab	06.10.2021	Negative	7327812800	Lahanda Hatibari
3	Cov/156247	Kalabati Kansari	55	F	Nasal Swab	06.10.2021	Negative	9937890988	Lahanda Hatibari
4	Cov/156249	Anita Tirkey	27	F	Nasal Swab	06.10.2021	Negative	9938157810	Lankoi Hatibari
5	Cov/156250	Bandhan Tirkey	41	M	Nasal Swab	06.10.2021	Negative	7894918075	Lahanda Hatibari
6	Cov/156251	Rita Kujur	27	F	Nasal Swab	06.10.2021	Negative	8018461910	Lankoi Hatibari
7	Cov/156252	Dhania Kujur	51	F	Nasal Swab	06.10.2021	Negative	9178929544	Lankoi Hatibari
8	Cov/156253	Manoj Munda	26	M	Nasal Swab	06.10.2021	Negative	8658068981	Lahanda Hatibari
9	Cov/156254	Mangat Ray	53	M	Nasal Swab	06.10.2021	Negative	9937890488	Kadlibahal Hatibari
10	Cov/156255	Bandhanu Kansari Kujur	60	M	Nasal Swab	06.10.2021	Negative	8018130934	Lankoi Hatibari
11	Cov/156256	Sukarmani Lakra	51	F	Nasal Swab	06.10.2021	Negative	8018130934	Lankoi Hatibari
12	Cov/156257	Etwarei Oram	41	F	Nasal Swab	06.10.2021	Negative	7205429399	Lahanda Hatibari
13	Cov/156532	Fransish Tigga	65	M	Nasal Swab	06.10.2021	Negative	8457033208	Bijakona, Birkera
14	Cov/156533	Sangita Minz	13	F	Nasal Swab	06.10.2021	Negative	6371949710	Vedvyas, Rourkela
15	Cov/156534	Deepika Kerketta	13	F	Nasal Swab	06.10.2021	Negative	9337993203	Vedvyas, Rourkela
16	Cov/156535	Anisha Chhetri	13	F	Nasal Swab	06.10.2021	Negative	8984345127	Vedvyas, Rourkela
17	Cov/156536	Anju Yadav	13	F	Nasal Swab	06.10.2021	Negative	6370831215	Vedvyas, Rourkela
18	Cov/156537	Shital Kujur	14	F	Nasal Swab	06.10.2021	Negative	8260996910	Vedvyas, Rourkela
19	Cov/156538	Purnima Mishara	14	F	Nasal Swab	06.10.2021	Negative	7978069118	Vedvyas, Rourkela
20	Cov/156539	Luisa Dung Dung	16	F	Nasal Swab	06.10.2021	Negative	9078034112	Vedvyas, Rourkela

21	Cov/156540	Tanushree Bankra	14	F	Nasal Swab	06.10.2021	Negative	9348456105	Vedvyas, Rourkela
22	Cov/156541	Ranu Nayak	14	F	Nasal Swab	06.10.2021	Negative	9348541094	Vedvyas, Rourkela
23	Cov/156542	Mili Tanty	16	F	Nasal Swab	06.10.2021	Negative	7077576724	Vedvyas, Rourkela
24	Cov/156543	Suchismita Singh	13	F	Nasal Swab	06.10.2021	Negative	7377367643	Vedvyas, Rourkela
25	Cov/156544	Sikha Poddar	13	F	Nasal Swab	06.10.2021	Negative	9777206364	Vedvyas, Rourkela
26	Cov/156545	Kajal Xalxo	14	F	Nasal Swab	06.10.2021	Negative	7606082072	Stdav, Vedvyas
27	Cov/156546	Arati Toppo	14	F	Nasal Swab	06.10.2021	Negative	9861422679	Stdav, Vedvyas
28	Cov/156547	Sanjana Yadav	14	F	Nasal Swab	06.10.2021	Negative	9337472526	Vedvyas, Rourkela
29	Cov/156548	Puja Barwa	15	F	Nasal Swab	06.10.2021	Negative	8917681829	Vedvyas, Rourkela
30	Cov/156549	Anjana Xaxa	14	F	Nasal Swab	06.10.2021	Negative	9777719827	Vedvyas, Rourkela
31	Cov/156550	Malati Badaik	14	F	Nasal Swab	06.10.2021	Negative	9692634816	Vedvyas, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*