



**DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela**

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.10.2022; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	05.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	06.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/307511	2137301432719	Sumit Ekka	35	M	Nasal Swab	06.10.2022	Negative	9348721129	Dandiapalli, RKL
02	Cov/307512	2137301432720	Senma Topno	17	M	Nasal Swab	06.10.2022	Negative	8280452995	K Bolang, RKL
03	Cov/307513	2137301432721	Raju Kamar	35	M	Nasal Swab	06.10.2022	Negative	7653910063	K Balang, RKL
04	Cov/307514	2137301432723	Narendar Singh	27	M	Nasal Swab	06.10.2022	Negative	9560539655	Civi Township, RKL
05	Cov/307515	2137301432724	Urmila Singh	27	F	Nasal Swab	06.10.2022	Negative	7846817850	Hatibari, SNG
06	Cov/307516	2137301432727	Kunti Nayak	70	F	Nasal Swab	06.10.2022	Negative	8658045224	Sector-18, RKL
07	Cov/307517	2137301432728	Bichi Oram	40	F	Nasal Swab	06.10.2022	Negative	8926355637	Lathikata, RKL
08	Cov/307518	2137301432730	Roshani Khatoon	25	F	Nasal Swab	06.10.2022	Negative	8763894355	IDEL Rourkela
09	Cov/307519	2137301432731	Aman Naik	9	M	Nasal Swab	06.10.2022	Negative	8339044230	Malgodam Road, RKL
10	Cov/307520	2137301432733	Roshni Lakra	27	F	Nasal Swab	06.10.2022	Negative	8637272469	Birmitrapur, RKL
11	Cov/307521	2137301432729	Najmeen Satique	25	F	Nasal Swab	06.10.2022	Negative	9556447810	Sector-6, RKL, SNG
12	Cov/307522	2137301432734	Alfa Turkey	20	F	Nasal Swab	06.10.2022	Negative	8249296096	Sakhi OSL RGH, RKL, SNG
13	Cov/307523	2137301432735	Santosh Das	52	M	Nasal Swab	06.10.2022	Negative	7684917960	Sector-16 Jagarnath Pali, RKL, SNG
14	Cov/307524	2137301432736	Jamil Sk	36	M	Nasal Swab	06.10.2022	Negative	6295158674	Basanti Colony Em/93, RKL, SNG
15	Cov/307525	2137301432737	Gobardhan Biswakarma	20	M	Nasal Swab	06.10.2022	Negative	7735593961	Koilagate Bondamunda, RKL, SNG
16	Cov/307526	2137301432738	Navamit Kumar	36	M	Nasal Swab	06.10.2022	Negative	8018367769	Sector-15, RKL, SNG
17	Cov/307528	2137301432740	Koushalya Kumbhar	35	F	Nasal Swab	06.10.2022	Negative	7205187846	Sector-6, RKL
18	Cov/307529	2137301432741	Sudhansu Mishhra	23	M	Nasal Swab	06.10.2022	Negative	9861159406	Sector-15 E/297, RKL
19	Cov/307530	2137301432742	I Gangadhar	26	M	Nasal Swab	06.10.2022	Negative	9861851745	Bondamunda Diesel Colony

Prepared by:



Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

Checked and Approved by:



Dr. Ashit Bhusan Xess



डा. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela