



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	06.12.2021; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	04.12.2021; 09:00 A.M.
Date & Time of receipt of specimen	06.12.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/193047	2137300937700	Chandrakanta Bhanja	42	M	Nasal Swab	06.12.2021	Negative	782990002	Bhanja Bhawan,Koida
02	Cov/193048	2137300937703	Rasmita Bhanja	36	F	Nasal Swab	06.12.2021	Negative	782990002	Bhanja Bhawan,Koida
03	Cov/193049	2137300937705	Aditya Narayan Bhanja	14	M	Nasal Swab	06.12.2021	Negative	782990002	Bhanja Bhawan,Koida
04	Cov/193050	2137300937706	Eshita Bhanja	8	F	Nasal Swab	06.12.2021	Negative	782990002	Bhanja Bhawan,Koida
05	Cov/193051	2137300937317	Chaman Ku Naik	13	M	Nasal Swab	06.12.2021	Negative	8895838505	Gamlei,Bonai
06	Cov/193052	2137300937324	Khageswar Kishan	41	M	Nasal Swab	06.12.2021	Negative	7749825418	Badgogua,Bonai
07	Cov/193053	2137300937328	Tulasa Mahanta	72	F	Nasal Swab	06.12.2021	Negative	7008202156	Kadadihi,Lahunipara
08	Cov/193054	2137300937331	Subhasmita Barik	14	F	Nasal Swab	06.12.2021	Negative	9556676565	Badgogua,Bonai
09	Cov/193055	2137300937335	Titikahya Manoj Mahanta	16	F	Nasal Swab	06.12.2021	Negative	9178611286	Bonai,Bonai
10	Cov/193056	2137300937340	Tinarani Kishan	14	F	Nasal Swab	06.12.2021	Negative	9439951770	Brahmannali,Bonai

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme

(IDSP)/ any other health care facility affirming requirements of the case definition/s.

- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*