



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, Rourkela**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	06.12.2022; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	05.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	06.12.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/315185	2137301466851	Kanhei Nayak	23	M	Nasal Swab	06.12.2022	Negative	8908048440	Sector-16, Rourkela
2	Cov/315186	2137301466852	Madan Dutta	65	M	Nasal Swab	06.12.2022	Negative	7064719102	Panthavi Gali, Rourkela
3	Cov/315187	2137301466853	Deepak Sethi	19	M	Nasal Swab	06.12.2022	Negative	8457041868	Hatibari, Rourkela
4	Cov/315188	2137301466855	Chaitanya Prasad Soren	26	M	Nasal Swab	06.12.2022	Negative	6370928518	Bondamunda, Rourkela
5	Cov/315189	2137301466857	Sk Sariddin	35	M	Nasal Swab	06.12.2022	Negative	9777242932	Nala Road, Rourkela
6	Cov/315190	2137301466859	Rabindranath Barik	63	M	Nasal Swab	06.12.2022	Negative	9776370091	G D Palli, Rourkela
7	Cov/315191	2137301466861	Ramamani Barik	60	F	Nasal Swab	06.12.2022	Negative	9776370091	G D Palli, Rourkela
8	Cov/315192	2137301466863	Geeta Devi	32	F	Nasal Swab	06.12.2022	Negative	9692749263	Sector-20, Rourkela
9	Cov/315193	2137301466864	Sarita Pradhan	23	F	Nasal Swab	06.12.2022	Negative	9556716165	M S Palli, Rourkela
10	Cov/315194	2137301466865	Durgesh Pandey	30	M	Nasal Swab	06.12.2022	Negative	8895393701	Malgodam, Rourkela
11	Cov/315195	2137301466866	Afsana Parween	20	F	Nasal Swab	06.12.2022	Negative	7684064008	Plant Site, Rourkela
12	Cov/315196	2137301466867	Pankajini Nayak	60	F	Nasal Swab	06.12.2022	Negative	7978933178	Sector-21, Rourkela
13	Cov/315197	2137301466868	Kuni Toppo	24	F	Nasal Swab	06.12.2022	Negative	9556036525	Sector-1, Rourkela
14	Cov/315198	2137301466870	Rishika Sah	22	F	Nasal Swab	06.12.2022	Negative	7855829144	Farsatola, Rourkela
15	Cov/315199	2137301466874	Mana Sardhar	67	F	Nasal Swab	06.12.2022	Negative	8457866177	M S Palli, Rourkela
16	Cov/315200	2137301466875	Manoj Raudia	33	M	Nasal Swab	06.12.2022	Negative	9337202782	Vedvyas, Rourkela
17	Cov/315201	2137301466877	Raj Kumar Das	39	M	Nasal Swab	06.12.2022	Negative	9363372009	Kalunga, Rourkela
18	Cov/315202	2137301466878	Anushree Dash	20	M	Nasal Swab	06.12.2022	Negative	6372572895	Labour Colony, Rourkela
19	Cov/315203	2137301466869	Shanti Lata Tete	33	F	Nasal Swab	06.12.2022	Negative	7008343184	Hatatola, Sundarhgarh
20	Cov/315204	2137301466871	Saniya Parween	21	F	Nasal Swab	06.12.2022	Negative	8847350931	Panposh, Rourkela
21	Cov/315205	2137301466873	Sagarika Nayak	30	F	Nasal Swab	06.12.2022	Negative	7735891588	Civil Township, Rourkela
22	Cov/315206	2137301466876	Sonia Mohali	34	F	Nasal Swab	06.12.2022	Negative	9556392362	Sector 2, Rourkela

23	Cov/315207	2137301466880	Kaira Majhi	60	F	Nasal Swab	06.12.2022	Negative	8455879842	Dhumripan, RGP
24	Cov/315208	2137301466881	Rizwana Khatoon	20	F	Nasal Swab	06.12.2022	Negative	8144987215	Hatibari, Sundarhgarh
25	Cov/315209	2137301466882	Tirat Chouhan	62	M	Nasal Swab	06.12.2022	Negative	7735668313	Sitalpada, Rourkela

**Prepared by:**



**Krishna Ch. Majhi**

**Checked and Approved by:**



**Dr. Ashit Bhushan Xess**

डॉ. अशित भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR