



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, Rourkela**

**COVID-19 (RT-PCR) Test Report**


Date and time of reporting	07.02.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	06.02.2023; 09:00 A.M.
Date & Time of receipt of specimen	07.02.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/317696	2137301487230	Md Gufraj	28	M	Nasal Swab	07.02.2023	Negative	7381362778	Plant Site RKL
2	Cov/317697	2137301487232	Sohan Singh	23	M	Nasal Swab	07.02.2023	Negative	7853015540	Sti Chock RKL
3	Cov/317698	2137301487234	Malati Devi	40	F	Nasal Swab	07.02.2023	Negative	7381239391	Malgodam RKL
4	Cov/317699	2137301487236	Irdos Kehekasha	19	F	Nasal Swab	07.02.2023	Negative	9937762212	Main Road RKL
5	Cov/317700	2137301487237	Baldeep Koy	30	M	Nasal Swab	07.02.2023	Negative	9777742023	Railway Colony RKL
6	Cov/317701	2137301487562	Nrupamani Sahu	32	M	Nasal Swab	07.02.2023	Negative	7682904371	Badgaon SNG
7	Cov/317702	2137301487567	Salami Kujur	45	F	Nasal Swab	07.02.2023	Negative	9337897575	Gobira Kuarmunda SNG
8	Cov/317703	2137301487569	Rajiv Senapati	23	M	Nasal Swab	07.02.2023	Negative	7978462418	Main Road RKL
9	Cov/317704	2137301487572	Narayan Panigrahi	54	M	Nasal Swab	07.02.2023	Negative	8093274391	Ms Pali RKL
10	Cov/317705	2137301487576	Ratan Bhumij	58	M	Nasal Swab	07.02.2023	Negative	7205646750	Lathikata SNG
11	Cov/317706	2137301487579	Bijay Sahu	44	M	Nasal Swab	07.02.2023	Negative	9778593362	Daily Market RKL
12	Cov/317710	2137301487589	Kuanr Marandi	26	M	Nasal Swab	07.02.2023	Negative	7683913281	Vedvyas RKL
13	Cov/317711	2137301487591	Ranjana Devi	40	F	Nasal Swab	07.02.2023	Negative	7749001629	B Tarang Vedvyas RKL
14	Cov/317712	2137301487593	Satyam Sahu	15	M	Nasal Swab	07.02.2023	Negative	9692906240	Kuarmunda SNG
15	Cov/317713	2137301487595	Sukubati Munda	35	F	Nasal Swab	07.02.2023	Negative	7853091692	Deogaon RKL
16	Cov/317714	2137301487597	Benudhar Nayak	72	M	Nasal Swab	07.02.2023	Negative	8114772451	Bidyut Colony Uditnagar RKL
17	Cov/317715	2137301487600	Sebati Karigar	28	F	Nasal Swab	07.02.2023	Negative	8114842717	Said Barkot Deogarh
18	Cov/317717	2137301487604	Gudia Kumari	18	F	Nasal Swab	07.02.2023	Negative	8984182515	Rly Clny RKL
19	Cov/317718	2137301487606	Arjun Nayak	35	M	Nasal Swab	07.02.2023	Negative	9437517238	Sec-22 RKL SNG
20	Cov/317719	2137301487608	Rabindra Nath Behera	68	M	Nasal Swab	07.02.2023	Negative	9861626988	Chhend RKL SNG
21	Cov/317720	2137301487609	Sonamati Luhura	46	F	Nasal Swab	07.02.2023	Negative	9439784049	Birjapali RKL SNG

22	Cov/317721	2137301487610	Lalit Lakra	33	M	Nasal Swab	07.02.2023	Negative	9060220155	Jkd Anandpur
23	Cov/317722	2137301487612	Tanjin Sahoo	18	M	Nasal Swab	07.02.2023	Negative	8093844241	Salngabahal Raiboga SNG
24	Cov/317725	2137301487618	Duhkha Rajahans	56	M	Nasal Swab	07.02.2023	Negative	6371262744	Birmitrapur SNG
25	Cov/317728	2137301487622	Alimun Nisha	65	F	Nasal Swab	07.02.2023	Negative	9777035111	Kalunga Sundargarh
26	Cov/317729	2137301487623	Sugi Mahali	50	F	Nasal Swab	07.02.2023	Negative	7339697718	Birda Sundargarh
27	Cov/317732	2137301487626	Ashok Munda	26	M	Nasal Swab	07.02.2023	Negative	9178782753	Kucheita Gurundia

**Prepared by:**

**Checked and Approved by:**



**Hemanti Sabar**



**Dr. Ashit Bhusan Xess**

डॉ. अशीत भूपन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR