



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	07.03.2023; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	06.03.2023; 09:00 A.M.
Date & Time of receipt of specimen	07.03.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/318861	2137301495369	Alok Choudhury	46	M	Nasal Swab	07.03.2023	Negative	9178886168	Civiltownship Rkl
2	Cov/318862	2137301495372	Himanshu Bhusan Das	37	M	Nasal Swab	07.03.2023	Negative	8114867568	Kalunga Sundargarh
3	Cov/318863	2137301495374	Md Allauddin	65	M	Nasal Swab	07.03.2023	Negative	8249506463	Simdega Jharkhand
4	Cov/318864	2137301495376	Rajendra Naik	50	M	Nasal Swab	07.03.2023	Negative	9583508168	Sector 2 Rourkela
5	Cov/318865	2137301495377	Andrias Lugun	70	M	Nasal Swab	07.03.2023	Negative	7855810385	Kuarmunda Rkl
6	Cov/318866	2137301495380	Pitabas Prusty	43	M	Nasal Swab	07.03.2023	Negative	8895099041	Jail Road Rkl
7	Cov/318867	2137301495381	Labanya Behera	78	F	Nasal Swab	07.03.2023	Negative	6371897739	Tisco Rourkela
8	Cov/318868	2137301495382	Kuni Rout	55	F	Nasal Swab	07.03.2023	Negative	9337721364	Vedvyas Rourkela
9	Cov/318869	2137301495384	Kumudini Sarangi	77	F	Nasal Swab	07.03.2023	Negative	9556550320	Tisco Rourkela
10	Cov/318870	2137301495385	Sudiksha Prasad	15	F	Nasal Swab	07.03.2023	Negative	9556804100	G B Palli Rourkela
11	Cov/318871	2137301495386	Lalit Narayan Jena	49	M	Nasal Swab	07.03.2023	Negative	9178151545	Sector 22 Rourkela
12	Cov/318872	2137301495435	Raj Kumari Maharana	55	F	Nasal Swab	07.03.2023	Negative	9776712304	Chhend Colony Rkl
13	Cov/318873	2137301495436	Swastik Patel	10	M	Nasal Swab	07.03.2023	Negative	9348665743	Osap Rourkela
14	Cov/318874	2137301495561	Andrias Lugun	70	M	Nasal Swab	07.03.2023	Negative	9668096010	Kuarmunda Rkl
15	Cov/318875	2137301495565	Faguni Mundari	55	F	Nasal Swab	07.03.2023	Negative	7205021439	Chhend Colony Rkl
16	Cov/318876	2137301495568	Budu Lakra	42	M	Nasal Swab	07.03.2023	Negative	7608820486	Taisore Bhagat Tola
17	Cov/318877	2137301495571	Alok Bodra	30	M	Nasal Swab	07.03.2023	Negative	8260862038	Hatioda Chandiposh
18	Cov/318878	2137301495572	Amit Naik	34	M	Nasal Swab	07.03.2023	Negative	7205010852	G Block Rkl
19	Cov/318879	2137301495573	Fulora Patra	55	F	Nasal Swab	07.03.2023	Negative	6371394207	Bondamunda Rkl
20	Cov/318880	2137301495574	Sarita Kumari	28	F	Nasal Swab	07.03.2023	Negative	9142913316	Hatibari Sundargarh
21	Cov/318881	2137301495575	Jayanti Sahu	34	F	Nasal Swab	07.03.2023	Negative	7656913992	Basanti Colony Rkl

22	Cov/318882	2137301495576	Kesar Bad	46	M	Nasal Swab	07.03.2023	Negative	8658889733	Gobindpur Sagra Bamra
----	------------	---------------	-----------	----	---	------------	------------	----------	------------	-----------------------

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डॉ. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*