



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

Covid-19 (RT-PCR) Test Report

Date and time of reporting	07.05.2021; 02:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	28.04.2021; 09:00 A.M.
Date & Time of receipt of specimen	30.04.2021; 03:15 P.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV
1	Cov/62095	ASHUTOSH KAR	22	M	NASAL SWAB	07.05.2021	NEGATIVE
7	Cov/62101	SATYA NARAYAN DAS	46	M	NASAL SWAB	07.05.2021	NEGATIVE
14	Cov/62108	PARBIN SAH	48	M	NASAL SWAB	07.05.2021	NEGATIVE
15	Cov/62109	ADITYA KUMAR BARIK	23	M	NASAL SWAB	07.05.2021	NEGATIVE
17	Cov/62111	SUKANTI ROUTRAY	53	F	NASAL SWAB	07.05.2021	NEGATIVE
18	Cov/62112	SARITA DEVI	28	F	NASAL SWAB	07.05.2021	INCONCLUSIVE
21	Cov/62115	BISWAJIT MOHANTY	28	M	NASAL SWAB	07.05.2021	NEGATIVE
22	Cov/62116	ESIUS LAKRA	36	M	NASAL SWAB	07.05.2021	NEGATIVE
29	Cov/62123	DR S PATTANAIAK	47	F	NASAL SWAB	07.05.2021	NEGATIVE

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*