



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	07.07.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	06.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	07.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/280218	2137301314181	Gobina Gope	33	M	Nasal Swab	07.07.2022	Negative	9178927309	Bimalgarh K Balang
2	Cov/280219	2137301314185	Suka Kerketta	45	M	Nasal Swab	07.07.2022	Negative	7894808677	Ruputola, Rourkela
3	Cov/280220	2137301314190	Prafull Tete	46	M	Nasal Swab	07.07.2022	Negative	8984907542	Baneikela Jhirpani
4	Cov/280221	2137301314196	Chandan Naik	20	M	Nasal Swab	07.07.2022	Negative	7751800529	Nuapalli Bonaigarh, Sundargarh
5	Cov/280222	2137301314200	Ajay Kumar Pandey	48	M	Nasal Swab	07.07.2022	Negative	9437144453	RGH Staff, Rourkela
6	Cov/280223	2137301314205	Sunil Jadi	38	M	Nasal Swab	07.07.2022	Negative	7653887191	Siharmunda Simdega
7	Cov/280224	2137301314208	Sumitra Devi	36	F	Nasal Swab	07.07.2022	Negative	9861097914	Deluxe Gali, Rourkela
8	Cov/280225	2137301314212	Jamuna Tudu	27	F	Nasal Swab	07.07.2022	Negative	7440157515	Basanti Colony, Rourkela
9	Cov/280226	2137301314392	K Ram Lingesh Rao	40	M	Nasal Swab	07.07.2022	Negative	7077196816	Railway Colony, Rourkela
10	Cov/280227	2137301314220	Ramabati Singh	57	F	Nasal Swab	07.07.2022	Negative	7008282553	Timber Colony, Rourkela
11	Cov/280228	2137301314223	Pajan Paramita Barik	31	F	Nasal Swab	07.07.2022	Negative	9777777181	Plant Side Road, Rourkela
12	Cov/280229	2137301314226	Gourang Charana Mallick	51	M	Nasal Swab	07.07.2022	Negative	9938524248	Basanti Colony, Rourkela
13	Cov/280230	2137301314234	Sweta Maharana	23	F	Nasal Swab	07.07.2022	Negative	7854973082	RGH Staff, Rourkela
14	Cov/280231	2137301314241	Niranjan Jethi	60	M	Nasal Swab	07.07.2022	Negative	7683970966	Orampara, Rourkela
15	Cov/280232	2137301314246	Md Ainul	37	M	Nasal Swab	07.07.2022	Negative	7853923381	Bisra, Rourkela
16	Cov/280233	2137301314248	Martin Lugun	60	M	Nasal Swab	07.07.2022	Negative	9348207146	Salanga Bahal Raibaga
17	Cov/280234	2137301314251	Swapnajit Maharana	16	M	Nasal Swab	07.07.2022	Negative	9938855675	Railway Colony, Rourkela
18	Cov/280235	2137301314254	Satyabrata Bhoi	28	M	Nasal Swab	07.07.2022	Negative	7008003454	Khandadhar Bonai
19	Cov/280236	2137301314257	Tarun Biswal	46	M	Nasal Swab	07.07.2022	Negative	9938861203	RGH Staff, Rourkela
20	Cov/280237	2137301314259	Sipra Mohanty	56	F	Nasal Swab	07.07.2022	Negative	9337947980	Koelnagar, Rourkela

21	Cov/280238	2137301314260	Ashok Kumar Singh	25	M	Nasal Swab	07.07.2022	Negative	8917664217	Kutra, Sundargarh
22	Cov/280239	2137301314262	Jayashree Joshi	34	F	Nasal Swab	07.07.2022	Negative	9861444299	Sector-21, Rourkela
23	Cov/280240	2137301314264	Anugrah Lomga	21	M	Nasal Swab	07.07.2022	Negative	8249367964	Jhirpani, Rourkela
24	Cov/280241	2137301314267	Jasmine Lugun	18	F	Nasal Swab	07.07.2022	Negative	6371090056	Kansbahal, Rourkela
25	Cov/280242	2137301314269	Sekh Awes Conen	18	M	Nasal Swab	07.07.2022	Negative	7681053464	H/575, Sector-15, Rourkela
26	Cov/280243	2137301314272	Ritu Dhanwar	19	F	Nasal Swab	07.07.2022	Negative	6371091974	Diesel Colony Bondamunda
27	Cov/280244	2137301314284	Bunty Kumar	23	M	Nasal Swab	07.07.2022	Negative	9122732321	Bondamunda, Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*