



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

| | |
|--|-----------------------------------|
| Date and time of reporting | 07.07.2022; 03:30 P.M. |
| Address of the referring facility/Hospital | Rourkela Govt. Hospital, Rourkela |
| SPECIMEN DETAILS | |
| Date & Time of sample collection | 06.07.2022; 09:00 A.M. |
| Date & Time of receipt of specimen | 07.07.2022; 09:30 A.M. |
| Condition of specimens received / Quality on arrival | Acceptable |
| REPORTING DETAILS | |

| Sr. No. | Sample ID | SRF ID | Patient Name | Age | Sex | Specimen type | Date of sample testing | Result 2019-nCoV | Mobile No. | Address |
|---------|------------|---------------|---------------------|-----|-----|---------------|------------------------|------------------|------------|---------------------------------|
| 01 | Cov/280245 | 2137301314289 | Akash Kumar Pradhan | 23 | M | Nasal Swab | 07.07.2022 | Negative | 9437397687 | B,57,Sector-8, Rourkela |
| 02 | Cov/280246 | 2137301314292 | Vivek Agarwal | 34 | M | Nasal Swab | 07.07.2022 | Negative | 8455935556 | MICR-33,Chhend Colony, Rourkela |
| 03 | Cov/280247 | 2137301314347 | Shasmita Gupta | 33 | F | Nasal Swab | 07.07.2022 | Negative | 8455935556 | MICR-33,Chhend Colony, Rourkela |
| 04 | Cov/280248 | 2137301314356 | Aakriti Agarwal | 9 | F | Nasal Swab | 07.07.2022 | Negative | 8455935556 | MICR-33,Chhend Colony, Rourkela |

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR