



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	07.11.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	06.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	07.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/312956	2137301454214	Amit Kumar Nayak	30	M	Nasal Swab	07.11.2022	Negative	9437646745	C-66 Sector 1 RKL
02	Cov/312957	2137301454218	Pritesh Acharya	34	M	Nasal Swab	07.11.2022	Negative	9078321987	U-4/5 Civil Township RKL
03	Cov/312958	2137301454221	Prabodh Kumar Das	54	M	Nasal Swab	07.11.2022	Negative	9113308349	C-276 Koel Nagar RKL
04	Cov/312959	2137301454223	Sanghamitra Raj	48	F	Nasal Swab	07.11.2022	Negative	9113308349	C-276 Koel Nagar RKL
05	Cov/312960	2137301454226	Iesha Das	12	F	Nasal Swab	07.11.2022	Negative	9113308349	C-276 Koel Nagar RKL
06	Cov/312961	2137301454228	Claire Das	8	F	Nasal Swab	07.11.2022	Negative	9113308349	C-276 Koel Nagar RKL

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR