

DEPARTMENT OF MICROBIOLOGY ISPAT GENERAL HOSPITAL SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	07.12.2021; 04:00 P.M.						
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela						
SPECIMEN DETAILS							
Date & Time of sample collection	05.12.2021; 09:00 A.M.						
Date & Time of receipt of specimen	06.12.2021; 09:30 A.M.						
Condition of specimens received / Quality on arrival	Acceptable						
REPORTING DETAILS							

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019- nCoV	Mobile No.	Address
1	Cov/192234	2137300938040	Ashutosh Gupta	21	M	Nasal Swab	07.12.2021	Negative	9776666522	S2M-168 Chhend Rourkela
2	Cov/192235	2137300938050	Sukhdev Panda	20	M	Nasal Swab	07.12.2021	Negative	6372409163	Lahunipani Sundargarh
3	Cov/192237	2137300938068	Piush Minz	62	M	Nasal Swab	07.12.2021	Negative	8763989211	HIGB-213 Chhend Rourkela
4	Cov/192263	2137300939292	Radha Parameswarn	73	F	Nasal Swab	07.12.2021	Negative	9337270725	Uditnagar M/64 Rourkela

Prepared by: Checked and Approved by:



Krishna Ch. Majhi Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

• Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.

Dr. ASHIT BHUSAN XESS

Consultant Microbiologist SAIL, RSP, IGH, Rourkera

- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR