

DEPARTMENT OF MICROBIOLOGY

ISPAT GENERAL HOSPITAL

SAIL, RSP,, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	08.04.2022; 03:45 P.M.					
Address of the referring facility/Hospital	Rourkela Govt. Hospital,, Rourkela					
ECIMEN DETAILS						
Date & Time of sample collection	07.04.2022; 09:00 A.M.					
Date & Time of receipt of specimen	08.04.2022; 09:30 A.M.					
Condition of specimens received / Quality on arrival	Acceptable					
REPORTING DETAILS						

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019- nCoV	Mobile No.	Address
01	Cov/269072	2137301259515	Dilip Minz	31	M	Nasal Swab	08.04.2022	Negative	7205539403	Rajgangpur Sng
02	Cov/269073	2137301259732	Rasmita Lakra	28	F	Nasal Swab	08.04.2022	Negative	8458011413	Jarbeda Sng
03	Cov/269074	2137301259742	Nitu Sengupta	60	M	Nasal Swab	08.04.2022	Negative	8763919958	Bondamunda Rkl
04	Cov/269075	2137301259744	Kamla Sahu	55	F	Nasal Swab	08.04.2022	Negative	8260298376	Lahunipada Sng
05	Cov/269076	2137301259745	Durgan Lugun	26	M	Nasal Swab	08.04.2022	Negative	8144911926	G B Palli Rkl Sng

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डा. अशीत भूपन खेस Dr. ASHIT BHUSAN XESS Consultant Microbiologist SAIL, RSP, IGH, Rourkea

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR