



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	08.10.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	07.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	08.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/307849	2137301434079	Sebati Mohanta	72	F	Nasal Swab	08.10.2022	Negative	9437648391	AM-64 Basanti Colony, RKL
02	Cov/307850	2137301434080	Biswajit Sahoo	32	M	Nasal Swab	08.10.2022	Negative	9004191401	Chhend Colony Rourkela
03	Cov/307851	2137301434081	Debasis Pattnayak	32	M	Nasal Swab	08.10.2022	Negative	9437437757	Sector-14 Rourkela
04	Cov/307852	2137301434083	Ashish Das	41	M	Nasal Swab	08.10.2022	Negative	9040429670	D-410 Koel Nagar Rourkela
05	Cov/307853	2137301434089	Rajan Kumar Balchandani	79	M	Nasal Swab	08.10.2022	Negative	9861068850	E-90 Koel Nagar, RKL
06	Cov/307854	2137301434092	Savitri Balchandani	79	F	Nasal Swab	08.10.2022	Negative	9861068850	E-90 Koelnagar, RKL
07	Cov/307855	2137301434094	Mohammad Shahbaz	30	M	Nasal Swab	08.10.2022	Negative	9040671219	Nalaroad Old Station Road, RKL
08	Cov/307856	2137301434098	Ram Bahadur	62	M	Nasal Swab	08.10.2022	Negative	7846844894	C-8 Old Otto Colony Tanagarpali, RKL
09	Cov/307857	2137301434101	Harpal Kaur	58	M	Nasal Swab	08.10.2022	Negative	9437082821	JJ-9 Civil Township, RKL
10	Cov/307858	2137301434102	Alam Singh Roopra	66	M	Nasal Swab	08.10.2022	Negative	9437082821	JJ-9 Civil Township, RKL
11	Cov/307859	2137301434103	Lalit Narayan Mohanta	39	M	Nasal Swab	08.10.2022	Negative	8280999838	HIG-B-3 Chhend, RKL
12	Cov/307860	2137301434104	Prachi Paramita Pooja	35	F	Nasal Swab	08.10.2022	Negative	8280999838	HIG-B-3 Chhend, RKL
13	Cov/307861	2137301434107	Pravat Kumar Mahapatra	39	M	Nasal Swab	08.10.2022	Negative	9937502494	Sector--14, RKL
14	Cov/307862	2137301434109	Sharad Chander Agarwal	54	M	Nasal Swab	08.10.2022	Negative	9437043877	Basanti Colony, RKL

Prepared by:

Krishna

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशित भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*