



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	08.11.2021; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	06.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	08.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/178414	2137300883504	Rekha Kandha	45	F	Nasal Swab	06.11.2021	Negative	9777342124	Municipality Office, Biramitrapur
2	Cov/178415	2137300883515	Sara Kandha	45	F	Nasal Swab	06.11.2021	Negative	9777342124	Municipality Office, Biramitrapur
3	Cov/178416	2137300883525	Neha Jha	23	F	Nasal Swab	06.11.2021	Negative	7752096219	Municipality Office, Biramitrapur
4	Cov/178417	2137300883542	Amrita Chawria	36	F	Nasal Swab	06.11.2021	Negative	8658672981	Municipality Office, Biramitrapur
5	Cov/178960	2137300883610	Subhransu Sekhar Mohanty	10	M	Nasal Swab	08.11.2021	Negative	9437498327	Talkipada,Rajgangpur
6	Cov/178961	2137300883622	Jagan Gosain	31	M	Nasal Swab	08.11.2021	Negative	9348806376	Liploi,Rajgangpur
7	Cov/178962	2137300883635	Saleha Ali	22	F	Nasal Swab	08.11.2021	Negative	9861313356	Jharbeda,Rajgangpur
8	Cov/179064	2137300883662	Subham Naik	13	M	Nasal Swab	08.11.2021	Negative	7077396780	Govt HS Boneikela Bonai SNG
9	Cov/179065	2137300883671	Gitajali Patra	13	F	Nasal Swab	08.11.2021	Negative	8280107071	Govt HS Boneikela Bonai SNG
10	Cov/179066	2137300883597	Trupti Sing Dandpart	13	F	Nasal Swab	08.11.2021	Negative	7205684725	H S Boneikela Bonai Sundargarh
11	Cov/179067	2137300883604	Saumyarajan Patra	13	M	Nasal Swab	08.11.2021	Negative	8480124383	HS Boneikela Bonai Sundargarh
12	Cov/179097	2137300883441	Bebina Kisan	13	F	Nasal Swab	08.11.2021	Negative	7008851361	Indarpur Govt High School
13	Cov/179098	2137300883448	Pakajini Kisan	14	F	Nasal Swab	08.11.2021	Negative	7008851361	Indarpur Govt High School
14	Cov/179099	2137300883375	Krisma Bhoi	14	F	Nasal Swab	08.11.2021	Negative	7008851361	Indarpur Govt High School

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*