



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	08.11.2022; 03:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	07.11.2022; 09:00 A.M.
Date & Time of receipt of specimen	08.11.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/313104	2137301454688	Harkaran Singh	46	M	Nasal Swab	08.11.2022	Negative	7681834547	C-262 Sector-6, RKL
02	Cov/313105	2137301454691	Lovely	39	F	Nasal Swab	08.11.2022	Negative	7681834547	C-262 Sector-6, RKL
03	Cov/313106	2137301454692	Jgbir Singh	14	M	Nasal Swab	08.11.2022	Negative	7681834547	C-262 Sector-6, RKL
04	Cov/313107	2137301454694	Gurleen Kaur	11	F	Nasal Swab	08.11.2022	Negative	7681834547	C-262 Sector-6, RKL
05	Cov/313108	2137301454695	Sanatan Tripathy	74	M	Nasal Swab	08.11.2022	Negative	9337722387	Panposh Rourkela
06	Cov/313109	2137301454697	Neera Tripathy	62	F	Nasal Swab	08.11.2022	Negative	9337722387	Panposh Rourkela
07	Cov/313110	2137301454699	Ashis Kumar Nayak	39	M	Nasal Swab	08.11.2022	Negative	7083701849	Chhend Rourkela
08	Cov/313111	2137301454700	Smita Sahoo	49	F	Nasal Swab	08.11.2022	Negative	8260158670	G-58 Sector-6, RKL
09	Cov/313112	2137301454701	Sabeetri Sahoo	73	F	Nasal Swab	08.11.2022	Negative	8260158670	G-58 Sector-6, RKL
10	Cov/313113	2137301454702	Purnima Sahoo	29	F	Nasal Swab	08.11.2022	Negative	9437676344	Chhend Colony, RKL
11	Cov/313114	2137301454703	Pradip Kumar Nanda	69	M	Nasal Swab	08.11.2022	Negative	9437082622	D-86 Koel Nagar, RKL
12	Cov/313115	2137301454704	Sumati Nanda	65	F	Nasal Swab	08.11.2022	Negative	9437082622	D-86 Koel Nagar, RKL
13	Cov/313116	2137301454716	Prabha Vishwakarma	60	F	Nasal Swab	08.11.2022	Negative	8917241139	JE-201 Koelnagar, RKL
14	Cov/313117	2137301454718	Priteem Sarkar	37	M	Nasal Swab	08.11.2022	Negative	7064031514	FRB-301 NIT, Rourkela
15	Cov/313118	2137301454719	Priyanka Chakraborty	37	F	Nasal Swab	08.11.2022	Negative	7064031514	FRB-301 NIT, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*