



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	09.02.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	07.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	08.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/245056	2137301155987	Simanaghala Maharana	58	M	Nasal Swab	09.02.2022	Negative	9437767097	A/58 Sector-6 Rourkela
02	Cov/245057	2137301156013	Lilabati Sahoo	69	F	Nasal Swab	09.02.2022	Negative	9668115122	RGH IPD Rourkela
03	Cov/245058	2137301156017	Selina Parichha	65	F	Nasal Swab	09.02.2022	Negative	8658172191	RGH IPD Rourkela
04	Cov/245059	2137301156020	Chaitanya Raj Sethy	11	M	Nasal Swab	09.02.2022	Negative	8917694982	RGH IPD Rourkela
05	Cov/245060	2137301156024	Shreyansh Mohanto	1	M	Nasal Swab	09.02.2022	Negative	8984269006	RGH IPD Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR