



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	09.07.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	08.07.2022; 09:00 A.M.
Date & Time of receipt of specimen	09.07.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/280573	2137301316449	Vivek Lall	50	M	Nasal Swab	09.07.2022	Negative	9437044988	H/01,Civil Township, Rourkela
02	Cov/280574	2137301316500	Priti Laal	50	F	Nasal Swab	09.07.2022	Negative	9437044988	H/01,Civil Township, Rourkela
03	Cov/280575	2137301316510	Vedika Laal	16	F	Nasal Swab	09.07.2022	Negative	9437044988	H/01,Civil Township, Rourkela
04	Cov/280576	2137301316516	Rohan Patra	18	M	Nasal Swab	09.07.2022	Negative	8637254119	D/09 Panposh, Rourkela
05	Cov/280577	2137301316523	Rupa Patra	49	F	Nasal Swab	09.07.2022	Negative	8637254119	D/09 Panposh, Rourkela
06	Cov/280578	2137301316533	Dibyakanta Seth	42	M	Nasal Swab	09.07.2022	Negative	8638149314	FD/35,NIT, Rourkela
07	Cov/280579	2137301316540	Nilima Seth	33	F	Nasal Swab	09.07.2022	Negative	8638149314	FD/35,NIT, Rourkela
08	Cov/280580	2137301316549	Radha Krishna	49	M	Nasal Swab	09.07.2022	Negative	9556397826	F/35,Sector-1, Rourkela
09	Cov/280581	2137301316559	Mohammed Basheer	36	M	Nasal Swab	09.07.2022	Negative	9078682354	Nala Road, Rourkela
10	Cov/280582	2137301316568	Mohammad Awaish	37	M	Nasal Swab	09.07.2022	Negative	7789070558	Uditnagar, Rourkela
11	Cov/280583	2137301316573	Abhiroop Roy	29	M	Nasal Swab	09.07.2022	Negative	7008319574	LCR-53 Chhend Colony, Rourkela
12	Cov/280584	2137301316581	Ishita Kar	27	F	Nasal Swab	09.07.2022	Negative	7008319574	LCR-53 Chhend Colony, Rourkela

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

डॉ. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*

- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*