



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	09.10.2021; 06:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	08.10.2021; 09:00 A.M.
Date & Time of receipt of specimen	09.10.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/157983	Alomani Samasi	35	F	Nasal Swab	09.10.2021	Negative	7894866184	Udsu Bisra Rourkela
02	Cov/157984	Dev Kumar	17	M	Nasal Swab	09.10.2021	Negative	9877488046	Basanti Colony Rourkela
03	Cov/157985	Shanti Sahoo	75	F	Nasal Swab	09.10.2021	Negative	8596006118	Deogaon Rourkela
04	Cov/157986	Meena Dash	55	F	Nasal Swab	09.10.2021	Negative	9937458558	Dajananda Nagar Panposh Rourkela
05	Cov/157987	Kajal Deo	19	F	Nasal Swab	09.10.2021	Negative	9692138186	Mahesdhi Sundargarh
06	Cov/157988	Pravabati Biswal	51	F	Nasal Swab	09.10.2021	Negative	9438552574	Sihidia Mahulpada Bonai Sundargarh
07	Cov/157989	Ranjit Das	29	M	Nasal Swab	09.10.2021	Negative	7978460397	Sector 5 Rourkela
08	Cov/157990	Ayush Kumar Jena	19	M	Nasal Swab	09.10.2021	Negative	8280266742	Shaktinagar Qn /14 Rourkela
09	Cov/157991	Sonali Biswal	27	F	Nasal Swab	09.10.2021	Negative	6372170717	Sector 22 Rourkela
10	Cov/157992	Sumitra Kumari	54	F	Nasal Swab	09.10.2021	Negative	6370518156	Sector 2 Rourkela
11	Cov/157993	Satyabhama Routray	31	F	Nasal Swab	09.10.2021	Negative	7788993612	Sector 15 Rourkela
12	Cov/157994	Prahlad Dhal	40	M	Nasal Swab	09.10.2021	Negative	7008318469	Panposh Rourkela
13	Cov/157995	Tapaswini Samal	32	F	Nasal Swab	09.10.2021	Negative	9861869640	Sector 16 Rourkela
14	Cov/157996	Jyoti Singh	22	F	Nasal Swab	09.10.2021	Negative	8260232717	Tilkanagar Rourkela
15	Cov/157997	Prasanta Ku Bada	45	M	Nasal Swab	09.10.2021	Negative	8249543599	Sector 15 Rourkela
16	Cov/157998	Sadananda Bibhar	36	M	Nasal Swab	09.10.2021	Negative	8144474832	Sector 18 Rourkela
17	Cov/157999	Md Gulad Alam	18	M	Nasal Swab	09.10.2021	Negative	8249115475	Bondamunda Rourkela
18	Cov/158000	Tapan Maharathi	35	M	Nasal Swab	09.10.2021	Negative	8984336210	Kalunga Rourkela
19	Cov/158001	Purna Ch Routray	68	M	Nasal Swab	09.10.2021	Negative	7381312293	Sector 15 Rourkela
20	Cov/158002	Damodar Bisoyi	45	M	Nasal Swab	09.10.2021	Negative	7978476835	Bondamunda Rourkela
21	Cov/158003	Raj Laxmi Dash	44	F	Nasal Swab	09.10.2021	Negative	9776372909	Jhartarang Rourkela

22	Cov/158004	Rashid Iqubal	27	M	Nasal Swab	09.10.2021	Negative	9124127077	Panposh Rourkela
23	Cov/158005	Asha Nag	15	F	Nasal Swab	09.10.2021	Negative	7609998441	Sector 5 Rourkela
24	Cov/158006	Subham Batragi	24	M	Nasal Swab	09.10.2021	Negative	7753836102	Bondamunda Rourkela
25	Cov/158007	Debasish Nayak	33	M	Nasal Swab	09.10.2021	Negative	7608870105	B Colony Rourkela
26	Cov/158008	Jemi Gochhayat	34	M	Nasal Swab	09.10.2021	Negative	8984180700	Golghar Sector 5 Rourkela
27	Cov/158009	Agatha Kandulna	32	M	Nasal Swab	09.10.2021	Negative	8018247396	Uditnagar Rourkela
28	Cov/158010	Nikita Ekka	19	F	Nasal Swab	09.10.2021	Negative	6370441236	Sector 16 E-09 Rourkela
29	Cov/158011	Soniya Oram	20	F	Nasal Swab	09.10.2021	Negative	8658094956	H-400 Sector 15 Rourkela
30	Cov/158012	Regan Prasad Das	32	M	Nasal Swab	09.10.2021	Negative	7325928123	Sector 7 Rourkela
31	Cov/158013	Kanha Naik	22	M	Nasal Swab	09.10.2021	Negative	7077527417	Narayani Pali Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR