



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	09.11.2021; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	07.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	08.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/179734	2137300887988	Sankalp Shivhare	20	M	Nasal Swab	09.11.2021	Negative	8249650419	F4/25 Civil Township Rourkela
2	Cov/179735	2137300887992	Dwarapu Jaiprakash	20	M	Nasal Swab	09.11.2021	Negative	9668720748	Jagda Rourkela
3	Cov/179736	2137300888206	Bikash Kumar Palai	19	M	Nasal Swab	09.11.2021	Negative	9337550146	Kanshbahal Sundargarh
4	Cov/179737	2137300888210	Sarita Mittal	45	F	Nasal Swab	09.11.2021	Negative	7978350108	Kuarmunda Sundargarh
5	Cov/179738	2137300888213	Santosh Kumar Pani	41	M	Nasal Swab	09.11.2021	Negative	8018425652	Panposh Rourkela
6	Cov/179739	2137300888215	Satya Sarathi Panda	29	M	Nasal Swab	09.11.2021	Negative	9778512968	Nuabazar Sector-21 Rourkela
7	Cov/179740	2137300888219	Mamata Behera	34	F	Nasal Swab	09.11.2021	Negative	9438168611	Gangadharipalli Rourkela
8	Cov/179741	2137300888221	Prayas Sahoo	17	M	Nasal Swab	09.11.2021	Negative	8260959361	Kalinga Vihar Chhend Rourkela
9	Cov/179742	2137300888222	Subham Kumar Raj	19	M	Nasal Swab	09.11.2021	Negative	7978853589	Chhend Colony C2M/20 Rourkela
10	Cov/179743	2137300888226	Jyoti Choudhury	29	F	Nasal Swab	09.11.2021	Negative	9861104365	Azad Basti Sector-20 Rourkela
11	Cov/179744	2137300888345	Charulata Sahoo	47	F	Nasal Swab	09.11.2021	Negative	9337206448	HIG/211 Chhend Colony Rourkela
12	Cov/179745	2137300888346	Abhishek Xaxa	7	M	Nasal Swab	09.11.2021	Negative	7853963529	Jharatarang Btarang Rourkela
13	Cov/179746	2137300888351	Futem Soreng	35	M	Nasal Swab	09.11.2021	Negative	9938960112	CRPF Rourkela
14	Cov/179747	2137300888383	Subham Bera	19	M	Nasal Swab	09.11.2021	Negative	7436836724	Railway Colony Indranagar
15	Cov/179748	2137300888387	Sulekha Thakur	45	F	Nasal Swab	09.11.2021	Negative	9955517315	Simdega Jharkhand
16	Cov/179749	2137300888389	Chitra Mazumdar	50	F	Nasal Swab	09.11.2021	Negative	8917662351	L-72 Baanti Colony Rourkela
17	Cov/179750	2137300888392	Narendra Ku Sahoo	26	M	Nasal Swab	09.11.2021	Negative	8658800399	Basanti Colony Rourkela
18	Cov/179751	2137300888396	Senorita Singh	16	F	Nasal Swab	09.11.2021	Negative	8763098309	Jagda Radio Station Rourkela
19	Cov/179752	2137300888401	Taramani Behuria	60	F	Nasal Swab	09.11.2021	Negative	9348633528	H Block Sector-6 Rourkela

20	Cov/179753	2137300888404	Pramod Chand	53	M	Nasal Swab	09.11.2021	Negative	9178776922	Balughat Rourkela
21	Cov/179754	2137300888408	Binod Suna	29	M	Nasal Swab	09.11.2021	Negative	9771843209	Tarkera RN Palli Rourkela
22	Cov/179800	2137300888410	Ashis Parida	40	M	Nasal Swab	08.11.2021	Negative	9861278407	B-116 Koelnagar Rourkela
23	Cov/179801	2137300888413	Rasmi Subudhi	40	F	Nasal Swab	08.11.2021	Negative	8249460059	Sector-15 Rourkela
24	Cov/179802	2137300888417	Susmita Mohanty	33	F	Nasal Swab	08.11.2021	Negative	7008264760	Sector-17 Rourkela
25	Cov/179803	2137300888420	Bijay Ku Subudhi	54	F	Nasal Swab	08.11.2021	Negative	8249460059	Sector-15 Rourkela

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*