



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	10.09.2021; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	09.09.2021; 09:00 A.M.
Date & Time of receipt of specimen	10.09.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/141498	Rajeswari Kujur	26	F	Nasal Swab	10.09.2021	Negative	9078566353	Jalda Rourkela
2	Cov/141499	Tetri Baghwar	45	F	Nasal Swab	10.09.2021	Negative	8018223608	Baniguni Birmitrapur Sng
3	Cov/141500	Vivek Kumar	28	M	Nasal Swab	10.09.2021	Negative	9504247100	Bondamunda Rkl
4	Cov/141501	Kamal Jeet Chakravarty	26	M	Nasal Swab	10.09.2021	Negative	9438483486	O No- M/48 Phase-2 Chhend Colony Rkl
5	Cov/141502	Priti Pandey	27	F	Nasal Swab	10.09.2021	Negative	8927335252	Panposh Rkl
6	Cov/141503	Rakesh Bindhani	45	M	Nasal Swab	10.09.2021	Negative	7609988519	Koitabasa Sector-22 Rkl
7	Cov/141504	Anand Baipai	21	M	Nasal Swab	10.09.2021	Negative	7854063028	Koitabasa Sector-22 Rkl
8	Cov/141505	Sugi Samasi	60	F	Nasal Swab	10.09.2021	Negative	7735304516	Shanti Nagar Rkl
9	Cov/141506	Amplda Kandulana	20	F	Nasal Swab	10.09.2021	Negative	9137046808	Gudia Toli Hanuman Vatika Rkl
10	Cov/141507	Harish Mandingh	24	M	Nasal Swab	10.09.2021	Negative	7978203973	Chhend Rkl
11	Cov/141508	Situ Kujur	22	F	Nasal Swab	10.09.2021	Negative	8260789362	A K Nagar Rkl
12	Cov/141509	Pitabas Karan	53	M	Nasal Swab	10.09.2021	Negative	8917605729	C2L2-208 Chhend Colony Rkl
13	Cov/141510	Nikhil Toppo	13	M	Nasal Swab	10.09.2021	Negative	9437676264	AI/15 Basanti Colony Rkl
14	Cov/141511	Dilip Tanty	35	M	Nasal Swab	10.09.2021	Negative	9777397744	Birkera Sng
15	Cov/141512	Ramesh Kumar Sahu	39	M	Nasal Swab	10.09.2021	Negative	9861304748	Daily Market Rkl
16	Cov/141513	Chanda Kumari	20	F	Nasal Swab	10.09.2021	Negative	7735426700	Diesel Colony Bondamunda Rkl
17	Cov/141514	Purnima Kumari	24	F	Nasal Swab	10.09.2021	Negative	7735426700	Diesel Colony Bondamunda Rkl
18	Cov/141515	Bijay Mundari	31	M	Nasal Swab	10.09.2021	Negative	9178018815	Gd Pali Rkl
19	Cov/141516	Priti Panna	21	F	Nasal Swab	10.09.2021	Negative	9114969527	Sos Chhend Rkl

20	Cov/141517	Rangamani Mundari	21	F	Nasal Swab	10.09.2021	Negative	6371484714	Sos Chhend Rkl
21	Cov/141518	Ankit Kumar Badatya	18	M	Nasal Swab	10.09.2021	Negative	9777689616	B Colony Rkl
22	Cov/141519	Khadala Mohapatra	60	M	Nasal Swab	10.09.2021	Negative	7381859038	Uditnagar Rkl
23	Cov/141520	Tapas Borai	24	M	Nasal Swab	10.09.2021	Negative	8327710895	Vedyash Rkl
24	Cov/141521	Anu Badaik	24	F	Nasal Swab	10.09.2021	Negative	9938890957	Basanti Colony Rkl
25	Cov/141522	Md Sahil Ansari	30	M	Nasal Swab	10.09.2021	Negative	7978880579	Malgodam Rkl
26	Cov/141523	Dheeraj Kumar	28	M	Nasal Swab	10.09.2021	Negative	9504247100	Bondamunda Diesel Colony
27	Cov/141524	Pinki Devi	27	F	Nasal Swab	10.09.2021	Negative	7683970269	Gb Pali Rkl
28	Cov/141525	Anup Maluar	31	M	Nasal Swab	10.09.2021	Negative	9078679098	Basanti Colony Rkl
29	Cov/141526	Pricila Kujur	22	F	Nasal Swab	10.09.2021	Negative	7859819270	Jalda Rourkela
30	Cov/141527	Sugyan Senapati	38	M	Nasal Swab	10.09.2021	Negative	8895556820	Uditnagar Rkl
31	Cov/141528	Priti Ray	23	F	Nasal Swab	10.09.2021	Negative	7873257645	Lalbuilding Rkl
32	Cov/141529	Raja Tanty	25	M	Nasal Swab	10.09.2021	Negative	7873257645	Lalbuilding Rkl
33	Cov/141530	Statis Paria	23	M	Nasal Swab	10.09.2021	Negative	8280452758	Sector 21 Rkl
34	Cov/141531	Puja Nayak	30	F	Nasal Swab	10.09.2021	Negative	9861834883	Basanti Colony Rkl
35	Cov/141532	Deepa Pariha	27	F	Nasal Swab	10.09.2021	Negative	8286452758	Sector 21 Rkl
36	Cov/141533	Manas Sahoo	35	M	Nasal Swab	10.09.2021	Negative	7847916835	Gb Palli Rkl
37	Cov/141534	Binod Choudhury	30	M	Nasal Swab	10.09.2021	Negative	8917432817	Fertilizer Rkl
38	Cov/141535	Subrat Kumar Mohanty	59	M	Nasal Swab	10.09.2021	Negative	7008748171	Jagda Rourkela
39	Cov/141536	Kiran Nayak	32	M	Nasal Swab	10.09.2021	Negative	7381950871	Timber Colony Rkl
40	Cov/141537	Rabindra Kishan	65	M	Nasal Swab	10.09.2021	Negative	8895529284	Chhend Rkl
41	Cov/141538	Bishal Mandal	20	M	Nasal Swab	10.09.2021	Negative	6201733120	Civil Township Near- Honda Show Room Rkl
42	Cov/141539	Rasmita Parida	33	F	Nasal Swab	10.09.2021	Negative	8270660831	Golghar Sector-5 Rkl
43	Cov/141540	Ashok Sahoo	54	M	Nasal Swab	10.09.2021	Negative	9939236591	Lal Building Back Side Rkl
44	Cov/141541	Sanju Oram	16	F	Nasal Swab	10.09.2021	Negative	9937322521	Banposh Chhend Rkl
45	Cov/141542	Prem Agarwal	35	M	Nasal Swab	10.09.2021	Negative	9438209784	Bondamunda Rkl
46	Cov/141543	Khira Sindhu Nag	53	M	Nasal Swab	10.09.2021	Negative	7682955832	Ugie Colony Rkl
47	Cov/141544	Jyotishree Bisoi	20	F	Nasal Swab	10.09.2021	Negative	6372730962	Rgh Campus Rkl
48	Cov/141545	Bharati Samal	30	F	Nasal Swab	10.09.2021	Negative	7653955690	Sector-5 Rkl
49	Cov/141546	Kabita Devi	30	F	Nasal Swab	10.09.2021	Negative	7655830836	Gb Palli Rkl
50	Cov/141547	Hasen Ansari	33	M	Nasal Swab	10.09.2021	Negative	6295541846	Civil Township Rkl
51	Cov/141548	Jagyaseni Mohapatra	44	F	Nasal Swab	10.09.2021	Negative	9658089641	Chhend Rkl
52	Cov/141549	Manish Jena	21	M	Nasal Swab	10.09.2021	Negative	7751015220	Chhend Rkl

53	Cov/141550	Arati Sharma	58	F	Nasal Swab	10.09.2021	Negative	9583546805	Dayanand Nagar Rkl
54	Cov/141551	Subasini Khillar	24	F	Nasal Swab	10.09.2021	Negative	6371005852	Chhend Rkl
55	Cov/141552	Sunita Kishan	24	F	Nasal Swab	10.09.2021	Negative	7205428210	Kalinga B Trang Rkl
56	Cov/141553	Laxmi Priya Pattnaik	43	F	Nasal Swab	10.09.2021	Negative	8280621164	Fertilizer Rkl
57	Cov/141554	Rupa Sahoo	35	F	Nasal Swab	10.09.2021	Negative	9348285775	Basanti Colony Rkl
58	Cov/141555	Parikhita Maharana	47	M	Nasal Swab	10.09.2021	Negative	9937360126	Sector 15 Anand Basti Rkl
59	Cov/141556	Swastik Barua	1	M	Nasal Swab	10.09.2021	Negative	8658554188	Kalunga Rkl
60	Cov/141557	Renuka Badaik	20	F	Nasal Swab	10.09.2021	Negative	7328094214	Uditnagar Rkl
61	Cov/141558	Bijaylaxmi Nanda	24	F	Nasal Swab	10.09.2021	Negative	8144584338	Sector 1 Rkl
62	Cov/141559	Pintu Yadav	36	M	Nasal Swab	10.09.2021	Negative	9556294422	Gadhatoli Rkl
63	Cov/141560	Pramodini Mohapatra	45	F	Nasal Swab	10.09.2021	Negative	8457876865	Subdega Sng
64	Cov/141561	Abhishek Moharana	15	M	Nasal Swab	10.09.2021	Negative	7735704889	Sti Chowk Rkl
65	Cov/141562	Manish Chaki	19	M	Nasal Swab	10.09.2021	Negative	9337680902	Dalposh Jhirpani Rkl
66	Cov/141563	Riya Thakur	17	F	Nasal Swab	10.09.2021	Negative	8457046269	Sector-15 Rkl
67	Cov/141564	Devbrata Yadav	17	M	Nasal Swab	10.09.2021	Negative	7438801523	Railway Colony Rkl
68	Cov/141565	Bidu Prasad	18	M	Nasal Swab	10.09.2021	Negative	9861157889	AI/104 Basanti Colony Rkl
69	Cov/141566	Sukanya Sahoo	24	F	Nasal Swab	10.09.2021	Negative	7008389571	FI/112 Basanti Colony Rkl
70	Cov/141567	Gayadhar Bhagat	24	M	Nasal Swab	10.09.2021	Negative	6370837922	Khariyabal Basti Rkl
71	Cov/141568	Saswati Mohapatra	27	F	Nasal Swab	10.09.2021	Negative	7537910650	C-90 Sector 9 Rkl
72	Cov/141569	Ayushranjan Parida	7	M	Nasal Swab	10.09.2021	Negative	9337635379	Sector 5 Rkl
73	Cov/141570	Sunanda Nayak	22	F	Nasal Swab	10.09.2021	Negative	6370488197	Shakti Nagar Rkl

Prepared by:

Kausikina

Checked and Approved by:

BP

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess



Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*