



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	10.09.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	09.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	10.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/302487	2137301410499	Ashok Kumar Sahoo	42	M	Nasal Swab	10.09.2022	Negative	9437407584	Uditnagar, RKL
2	Cov/302488	2137301410503	Sunil Kumar Jena	45	M	Nasal Swab	10.09.2022	Negative	9861206272	S2M-6,Phase -1,Chhend, RKL
3	Cov/302490	2137301410519	Anisha Agarwal	36	M	Nasal Swab	10.09.2022	Negative	7978823908	BM-36 Basanti Colony, RKL
4	Cov/302491	2137301410524	Vineet Kumar Dua	39	M	Nasal Swab	10.09.2022	Negative	9437048480	H-16 Civil Town Ship, RKL
5	Cov/302492	2137301410532	Aman Munda	15	M	Nasal Swab	10.09.2022	Negative	9853634456	B-214 Sector-2, RKL
6	Cov/302493	2137301410544	Anand Kumar Suna	13	M	Nasal Swab	10.09.2022	Negative	9337846489	Jagannath Mandir, RKL
7	Cov/302494	2137301410552	Soumya Ranjan Mohanty	13	M	Nasal Swab	10.09.2022	Negative	8260530501	Jagannath Mandir, RKL
8	Cov/302495	2137301410557	Nishen Singh Dhillon	24	M	Nasal Swab	10.09.2022	Negative	9583503067	C-193 Sector-18, RKL
9	Cov/302496	2137301410563	Simran Kour	22	F	Nasal Swab	10.09.2022	Negative	9583503067	C-193 Sector-18, RKL
10	Cov/302497	2137301410574	Akash Dua	27	M	Nasal Swab	10.09.2022	Negative	9861410003	Civil Township Motors, RKL
11	Cov/302498	2137301410582	Peri Kruti	26	F	Nasal Swab	10.09.2022	Negative	9776030362	DM-06 Basanti Colony, RKL
12	Cov/302499	2137301410742	Oliver Deutsch Kettner	52	M	Nasal Swab	10.09.2022	Negative	8334941155	Hostel Central Park, RKL
13	Cov/302500	2137301410596	Pratitee Pattanaik	25	F	Nasal Swab	10.09.2022	Negative	9591401770	E-184 Koelnagar, RKL
14	Cov/302501	2137301410599	Vikash Garg	43	M	Nasal Swab	10.09.2022	Negative	9937090009	Y-8 Flat No-3 Fl Civil Township, RKL
15	Cov/302502	2137301410603	Namrata Garg	41	F	Nasal Swab	10.09.2022	Negative	9937090009	Y-8 Flat No-3 Fl Civil Township, RKL
16	Cov/302503	2137301410605	Lajwanti Devi Agarwal	61	F	Nasal Swab	10.09.2022	Negative	9937090009	Y-8 Flat No-3 Fl Civil Township, RKL
17	Cov/302504	2137301410608	Yatharth Garg	13	M	Nasal Swab	10.09.2022	Negative	9937090009	Y-8 Flat No-3 Fl Civil Township, RKL
18	Cov/302505	2137301410613	Kritarath Garg	17	M	Nasal Swab	10.09.2022	Negative	9937090009	Y-8 Flat No-3 Fl Civil Township, RKL

Prepared by:



Krishna Ch. Majhi

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

Checked and Approved by:



Dr. Ashit Bhusan Xess

