



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	10.10.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	09.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	10.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/308223	2137301435294	Kailash Chandra Jena	47	M	Nasal Swab	10.10.2022	Negative	9777070132	C-671 Koel Nagar Rourkela
02	Cov/308224	2137301435295	Satyajit Sarkar	45	M	Nasal Swab	10.10.2022	Negative	9438143326	Tangarpali Rourkela
03	Cov/308225	2137301435332	Shrijeet Agarwal	36	M	Nasal Swab	10.10.2022	Negative	8260176089	H-09 Civil Township Rourkela
04	Cov/308226	2137301435299	Richa Agarwal	32	F	Nasal Swab	10.10.2022	Negative	8060176089	H-09 Civil Township RKL
05	Cov/308227	2137301435335	Ajit Singh	79	M	Nasal Swab	10.10.2022	Negative	9437117103	Basanti Colony RKL
06	Cov/308229	2137301435307	Satya Prakash Dash	39	M	Nasal Swab	10.10.2022	Negative	9438426219	Balijodi Rourkela
07	Cov/308230	2137301435311	Pramod Kumar Patel	62	M	Nasal Swab	10.10.2022	Negative	9437246230	Dayanand Nagar Jhartarang B Tarang
08	Cov/308231	2137301435317	Beenapani Patel	55	F	Nasal Swab	10.10.2022	Negative	9437246230	Dayanand Nagar Jhartarang B Tarang

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

डॉ. अशीत भूषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) / any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR