



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	10.10.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	09.10.2022; 09:00 A.M.
Date & Time of receipt of specimen	10.10.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/308199	2137301435297	Balbir Singh	30	M	Nasal Swab	10.10.2022	Negative	7205929108	Ms Colony RGP SNG
2	Cov/308200	2137301435298	Noorjahan Khatoon	55	F	Nasal Swab	10.10.2022	Negative	7789948870	Plant Site RKL SNG
3	Cov/308201	2137301435300	Samal Munda	70	M	Nasal Swab	10.10.2022	Negative	7077141880	Kharia Bahal K Bolang SNG
4	Cov/308202	2137301435302	Sunita Kansari	32	F	Nasal Swab	10.10.2022	Negative	8018679270	Sector 13 Luhakera RKL
5	Cov/308203	2137301435305	Binita Thokar	27	F	Nasal Swab	10.10.2022	Negative	8984345674	Basanti Colony Near Kumbhar Pada
6	Cov/308204	2137301435405	Mange Oram	82	M	Nasal Swab	10.10.2022	Negative	8895310743	Badgaon Gurundia
7	Cov/308205	2137301435312	Mangtu Kerketta	70	F	Nasal Swab	10.10.2022	Negative	7894572348	Hatibari SNG
8	Cov/308206	2137301435315	Uday Narayan Mohanty	16	M	Nasal Swab	10.10.2022	Negative	7873663265	Panposh Jagannath Colony RKL
9	Cov/308207	2137301435319	Dasarath Kujur	41	M	Nasal Swab	10.10.2022	Negative	9861757730	Basanti Colony RKL
10	Cov/308208	2137301435321	Sudam Hansda	38	M	Nasal Swab	10.10.2022	Negative	8249973167	STI RKL SNG
11	Cov/308209	2137301435324	Subham Swain	18	M	Nasal Swab	10.10.2022	Negative	8692631471	Basanti Colony RKL
12	Cov/308210	2137301435345	Kanhu Toppo	43	M	Nasal Swab	10.10.2022	Negative	8260215161	Uditnagar RKL SNG
13	Cov/308211	2137301435350	Siba Sriram	48	M	Nasal Swab	10.10.2022	Negative	9040616953	Sector 5 RKL SNG
14	Cov/308212	2137301435354	Bharat Bhusan Gouda	26	M	Nasal Swab	10.10.2022	Negative	8984207647	Sector 19 RKL
15	Cov/308213	2137301435357	Asesh Kumar Panda	58	M	Nasal Swab	10.10.2022	Negative	9937200942	Sector 16 RKL
16	Cov/308214	2137301435358	Anchal Sahu	19	F	Nasal Swab	10.10.2022	Negative	9348858484	Panposh RN Palli RKL
17	Cov/308215	2137301435359	Mahabir Oram	17	M	Nasal Swab	10.10.2022	Negative	8260023605	Kanta Palli Badgaon
18	Cov/308216	2137301435362	Sangita Behera	28	F	Nasal Swab	10.10.2022	Negative	9861661734	Jagda RKL SNG
19	Cov/308217	2137301435406	Desha Majhi	69	F	Nasal Swab	10.10.2022	Negative	8658073114	Pinda Pathar Bmra
20	Cov/308218	2137301435365	Basudev Behera	45	M	Nasal Swab	10.10.2022	Negative	6370685648	Sector 8 RKL
21	Cov/308219	2137301435366	Ambika Behera	37	F	Nasal Swab	10.10.2022	Negative	6370685648	Sector 8 RKL

22	Cov/308220	2137301435367	Seema Mallick	35	F	Nasal Swab	10.10.2022	Negative	8457935585	Beldihi B Tarang
23	Cov/308221	2137301435368	Malati Mundari	30	F	Nasal Swab	10.10.2022	Negative	8684189213	Tangarpali RKL
24	Cov/308222	2137301435369	Rahul Jena	22	M	Nasal Swab	10.10.2022	Negative	9040511034	Sector 15 RKL

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess
डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*