



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	10.11.2021; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	09.11.2021; 09:00 A.M.
Date & Time of receipt of specimen	10.11.2021; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/180346	2137300890125	Suresh Bhakta	33	M	Nasal Swab	10.11.2021	Negative	9437617737	Kalosiheria Kuarmunda
2	Cov/180347	2137300890130	Paulus Lugun	55	M	Nasal Swab	10.11.2021	Negative	9668043493	Kalosiheria Kuarmunda
3	Cov/180348	2137300890136	Dugi Tirkey	42	F	Nasal Swab	10.11.2021	Negative	9348853619	Kalosiheria Kuarmunda
4	Cov/180349	2137300890144	Debaki Kula	41	F	Nasal Swab	10.11.2021	Negative	8280842694	Kalosiheria Kuarmunda

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Rajeev Kr. Seth

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

डा. राजीव कुमार सेठ
Dr. RAJEEV KUMAR SETH
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela