



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, ROURKELA

COVID-19 (RT-PCR) Test Report

Date and time of reporting	11.02.2022; 06:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	10.02.2022; 09:00 A.M.
Date & Time of receipt of specimen	11.02.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/246063	2137301162297	Sanju Kumar Sahu	27	M	Nasal Swab	11.02.2022	Negative	9556455407	Koel Gate Bondamunda RKL
2	Cov/246064	2137301162304	Sunil Jojo	19	M	Nasal Swab	11.02.2022	Negative	6370001851	Panposh RKL
3	Cov/246065	2137301162309	Sushree Sangita Parida	21	F	Nasal Swab	11.02.2022	Negative	9348386306	Tangarpalli RKL
4	Cov/246066	2137301162315	Priyanka Oram	18	F	Nasal Swab	11.02.2022	Negative	7735638982	Mundajor SNG
5	Cov/246067	2137301162322	Anupama Kujur	24	F	Nasal Swab	11.02.2022	Negative	6371163908	Jampalli SNG
6	Cov/246068	2137301162324	Abimanyu Goud	15	M	Nasal Swab	11.02.2022	Negative	8260958217	Bandhposh SNG
7	Cov/246069	2137301162327	Prem Kumar Jena	42	M	Nasal Swab	11.02.2022	Negative	9438246802	Traffic Gate RKL
8	Cov/246070	2137301162331	Rina Mukhi	35	F	Nasal Swab	11.02.2022	Negative	8987429238	Chidia Manoharpur SNG
9	Cov/246071	2137301162338	Pramod Kumar Mohanta	60	M	Nasal Swab	11.02.2022	Negative	8328868156	C2M-87 Chhend RKL
10	Cov/246072	2137301163592	Dhanraj Kumar Singh	38	M	Nasal Swab	11.02.2022	Negative	8528204469	Vedvyas RKL
11	Cov/246073	2137301163598	Gopal Das	41	M	Nasal Swab	11.02.2022	Negative	6370031437	Sector-17 RKL
12	Cov/246074	2137301163602	Janaki Mohanty	55	F	Nasal Swab	11.02.2022	Negative	7537892110	L1/2 Chhend RKL
13	Cov/246075	2137301163607	Rekha Tandia	41	F	Nasal Swab	11.02.2022	Negative	7735391817	Gudguda Bisra RKL
14	Cov/246076	2137301163613	Santosh Mahali	25	M	Nasal Swab	11.02.2022	Negative	8895423425	Sector-16 RKL
15	Cov/246077	2137301163619	Amit Puran	28	M	Nasal Swab	11.02.2022	Negative	8280690288	Bondamunda RKL
16	Cov/246078	2137301163400	Sudeep Chirmako	19	M	Nasal Swab	11.02.2022	Negative	7751011483	Chhend RKL
17	Cov/246079	2137301163405	Gokulchand Nai	33	M	Nasal Swab	11.02.2022	Negative	8019938001	CRPF Sector-5 RKL
18	Cov/246080	2137301163415	A B B Rao	53	M	Nasal Swab	11.02.2022	Negative	9437388299	A-92 Sector-5 RKL
19	Cov/246081	2137301163429	Subash Singh	24	M	Nasal Swab	11.02.2022	Negative	8327790581	Nuatoli Tangarpali RKL
20	Cov/246082	2137301163437	Nelson Munda	50	M	Nasal Swab	11.02.2022	Negative	9178844341	Purnapani RKL
21	Cov/246083	2137301163452	Sairam Dakua	17	M	Nasal Swab	11.02.2022	Negative	9348738708	C-378 Sector-16 RKL
22	Cov/246084	2137301163461	Soubhagya Biswal	40	M	Nasal Swab	11.02.2022	Negative	8390082466	KN-71 Chhend RKL

23	Cov/246085	2137301163472	Sarojini Biswal	69	F	Nasal Swab	11.02.2022	Negative	8390082466	KN-71 Chhend RKL
24	Cov/246086	2137301163488	Ajanta Biswal	35	F	Nasal Swab	11.02.2022	Negative	8249861885	KN-71 Chhend RKL
25	Cov/246087	2137301163498	L Nitesh Kumar	22	M	Nasal Swab	11.02.2022	Negative	9902646604	Q No B-117 RKL
26	Cov/246088	2137301163561	Dillip Lakra	28	M	Nasal Swab	11.02.2022	Negative	9178440246	Bihaballi Gobindpur RKL SNG
27	Cov/246089	2137301163568	Dilip Bag	85	M	Nasal Swab	11.02.2022	Negative	9178567222	FCI Basti RKL
28	Cov/246090	2137301163575	Gurucharan Kumbhar	70	M	Nasal Swab	11.02.2022	Negative	9556683441	Rajgangpur RKL
29	Cov/246091	2137301163580	Amar Munda	47	M	Nasal Swab	11.02.2022	Negative	8018955878	Jamunapalli RKL
30	Cov/246092	2137301163586	Deepak Kumar	28	M	Nasal Swab	11.02.2022	Negative	8917465194	Bondamunda RKL

Prepared by:

Checked and Approved by:



Krishna Ch. Majhi



Dr. Ashit Bhusan Xess

डॉ. अशीत भूषण खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR