



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	11.08.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	08.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	09.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/293448	2137301373920	Arata Pattnaik	43	M	Nasal Swab	11.08.2022	Negative	6371096634	A-79, Sector-18, Rourkela
02	Cov/293449	2137301373923	Arihaan Pattnaik	5	M	Nasal Swab	11.08.2022	Negative	6371096634	A-79, Sector-18, Rourkela
03	Cov/293450	2137301373927	Niraja Ray	35	F	Nasal Swab	11.08.2022	Negative	6371096634	A-79, Sector-18, Rourkela
04	Cov/293452	2137301373932	Susant Kumar Sahoo	55	M	Nasal Swab	11.08.2022	Negative	9437341961	Jagda, Rourkela
05	Cov/293453	2137301373934	Firoz Ahmed	43	M	Nasal Swab	11.08.2022	Negative	9938815179	Anand Bhawan Line, Rourkela
06	Cov/293454	2137301373935	Saheen Farha	29	F	Nasal Swab	11.08.2022	Negative	9938815179	Anand Bhawan Line, Rourkela
07	Cov/293455	2137301373936	Taizeen Ahmed	6	M	Nasal Swab	11.08.2022	Negative	9938815179	Anand Bhawan Line, Rourkela
08	Cov/293456	2137301373937	Biswaranjan Pattnaik	48	M	Nasal Swab	11.08.2022	Negative	9437384797	Pandey Colony Vedvyas, Rourkela
09	Cov/293457	2137301373938	Ved Bivas Lenka	42	M	Nasal Swab	11.08.2022	Negative	8895210001	GM-5, Basanti Colony, Rourkela

Prepared by:

Checked and Approved by:

Krishna

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डॉ. अशीत भूपन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP) any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR