



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	11.08.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	08.08.2022; 09:00 A.M.
Date & Time of receipt of specimen	09.08.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/293458	2137301373950	Jyoti Chouhan	27	F	Nasal Swab	11.08.2022	Negative	7848034436	Kalyani Basti Sector-1, Rourkela
02	Cov/293459	2137301373951	Sameer Parida	40	M	Nasal Swab	11.08.2022	Negative	9178125462	Sector-1, Rourkela
03	Cov/293460	2137301373952	Suryaprakash Das	19	M	Nasal Swab	11.08.2022	Negative	7008265063	A-117, Sector-5, Rourkela
04	Cov/293461	2137301373953	Priyambada Mansing	54	F	Nasal Swab	11.08.2022	Negative	8917434365	B-61, Sector-16, Rourkela

Prepared by:

Checked and Approved by:

Krishna Ch. Majhi

Dr. Ashit Bhusan Xess

डा. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. *
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR