



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, ROURKELA**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	11.01.2022; 04:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	10.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	11.01.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/222720	2137301043231	Mansid Topno	77	M	Nasal Swab	12.01.2022	Negative	9438716231	Micr 03 Chhend
2	Cov/222721	2137301043272	Bhasakara Ch Mohanty	74	M	Nasal Swab	12.01.2022	Negative	9040884447	Ecr 162 Chhend
3	Cov/222722	2137301043297	Manashi Rani Pattanaik	41	F	Nasal Swab	12.01.2022	Negative	9040884447	Ecr 162 Chhend
4	Cov/222723	2137301043323	Suprabha Panda	55	F	Nasal Swab	12.01.2022	Negative	7008894949	E 39 Ph 02 Chhend
5	Cov/222728	2137301043579	Sashmita Behera	38	F	Nasal Swab	12.01.2022	Negative	9040009736	Mig 297 Kalinga Bihar
6	Cov/222729	2137301043634	Ashrita Behera	15	F	Nasal Swab	12.01.2022	Negative	9040009736	Mig 297 Kalinga Bihar
7	Cov/222730	2137301043681	Ashlesh Behera	10	M	Nasal Swab	12.01.2022	Negative	9040009736	Mig 297 Kalinga Bihar
8	Cov/222731	2137301043718	Padmanav Panda	29	M	Nasal Swab	12.01.2022	Negative	7008614199	E 38 Chhend Colony
9	Cov/222732	2137301043732	Soumya Ranjan Panda	22	M	Nasal Swab	12.01.2022	Negative	9437985083	F L 253 Basanti Colony
10	Cov/222733	2137301043775	Animesh Tripathy	18	M	Nasal Swab	12.01.2022	Negative	8637201579	E 39 Ph 2 Chhend Colony
11	Cov/222734	2137301043798	Urmila Panda	50	F	Nasal Swab	12.01.2022	Negative	8637201579	E 39 Ph 2 Chhend Colony
12	Cov/222735	2137301043827	Monica Aich	26	F	Nasal Swab	12.01.2022	Negative	7894284711	Higb 331 Chhend
13	Cov/222736	2137301042227	Tirthavasa Mishra	57	M	Nasal Swab	12.01.2022	Negative	9437017124	Malgodam RKL
14	Cov/222737	2137301042245	Sanjay Ku Mallick	55	M	Nasal Swab	12.01.2022	Negative	9692220737	Lcr 51 Chhend
15	Cov/222738	2137301042275	Lal Sagar Chouhan	55	M	Nasal Swab	12.01.2022	Negative	9938951520	Gb Palli RKL
16	Cov/222739	2137301042287	Namita Dash	52	F	Nasal Swab	12.01.2022	Negative	7978605301	Panposh Near Jagnath Mandir RKL 4
17	Cov/222740	2137301042297	Shreenibas Bhuyan	42	M	Nasal Swab	12.01.2022	Negative	9861114213	Dl 272 Basanti Colony RKL
18	Cov/222741	2137301042328	Bhumisuta Nayak	38	F	Nasal Swab	12.01.2022	Negative	8338960021	Railway Colony RKL
19	Cov/222742	2137301042339	Smita Mohanty	53	F	Nasal Swab	12.01.2022	Negative	7978963785	Basanti Colony
20	Cov/222743	2137301042358	Nilima Nayak	31	F	Nasal Swab	12.01.2022	Negative	7504942700	Nr /5 Jagda Tkl
21	Cov/222748	2137301042487	Suprabha Ray	59	M	Nasal Swab	12.01.2022	Negative	9439949894	Higbb/29 Chhend

22	Cov/222749	2137301042503	Govind Ch Pasayat	56	M	Nasal Swab	12.01.2022	Negative	9437758284	New Lic Colony RKL
23	Cov/222750	2137301042521	Lincon Jena	28	M	Nasal Swab	12.01.2022	Negative	9437411101	Basanti Colony RKL
24	Cov/222751	2137301042570	Kalandi Charan Gedi	50	M	Nasal Swab	12.01.2022	Negative	9778706762	Kalyani Devi High School Staff RKL
25	Cov/222752	2137301042608	Ashraya Jena	59	M	Nasal Swab	12.01.2022	Negative	7008255743	L/120 Basanti Colony

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess



*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*