



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, ROURKELA

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	12.03.2022; 05:00 P.M.
Address of the referring facility/Hospital	Rourkela Govt. Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	10.03.2022; 09:00 A.M.
Date & Time of receipt of specimen	11.03.2022; 09:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/261005	2137301224256	Jasobanta Kisan	18	M	Nasal Swab	12.03.2022	Negative	8280776219	Barhachhapal Bonai SNG
2	Cov/261006	2137301224276	Santi Munda	24	F	Nasal Swab	12.03.2022	Negative	7873920416	Chandrapur Bonai SNG
3	Cov/261007	2137301224282	Gopi Kisan	70	M	Nasal Swab	12.03.2022	Negative	9078216676	Sarsara Bonai SNG
4	Cov/261008	2137301224288	Kansala Munda	72	F	Nasal Swab	12.03.2022	Negative	7655028605	San Bhalupani Bonai SNG
5	Cov/261009	2137301224298	Akhaya Kumar Munda	19	M	Nasal Swab	12.03.2022	Negative	9337812452	Damadihi Bonai SNG
6	Cov/261633	2137301227743	Fullmani Jyoti Banika	15	F	Nasal Swab	12.03.2022	Negative	7656031201	Gurundia GND
7	Cov/261634	2137301227749	Saniya Tigga	14	F	Nasal Swab	12.03.2022	Negative	7656031201	Gurundia Kanyaashram
8	Cov/261635	2137301227771	Sarojini Oram	12	F	Nasal Swab	12.03.2022	Negative	7656031201	Gurundia Kanyaashram
9	Cov/261636	2137301227779	Puja Oram	16	F	Nasal Swab	12.03.2022	Negative	7608856426	Gurundia KGBB
10	Cov/261637	2137301227787	Anima Jojo	14	F	Nasal Swab	12.03.2022	Negative	7848871646	Gurundia Kanyaashram
11	Cov/261659	2137301226338	Jaydeb Gahir	55	M	Nasal Swab	12.03.2022	Negative	8280452856	Kenaveta SNG
12	Cov/261660	2137301226340	Thara Luhura	65	F	Nasal Swab	12.03.2022	Negative	8280452856	Kenaveta SNG
13	Cov/261661	2137301226342	Suka Patra	66	F	Nasal Swab	12.03.2022	Negative	8280452856	Kenaveta SNG
14	Cov/261662	2137301226344	Jyotimanjari Bhainsa	40	F	Nasal Swab	12.03.2022	Negative	6372625373	Kenaveta SNG
15	Cov/261663	2137301226360	Lipsha Rani Patra	3	F	Nasal Swab	12.03.2022	Negative	8280452856	Kenaveta SNG
16	Cov/261664	2137301226364	Rituki Bhoi	24	F	Nasal Swab	12.03.2022	Negative	8917281608	Kenaveta SNG
17	Cov/261665	2137301226523	Jyotiranjana Bhoi	23	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG
18	Cov/261666	2137301226526	Tiknu Barik	19	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG
19	Cov/261667	2137301226530	Biswanath Pradhan	19	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG
20	Cov/261668	2137301226373	Suryamani Behera	70	F	Nasal Swab	12.03.2022	Negative	8280452856	Kenaveta SNG
21	Cov/261669	2137301226375	Dhananjay Sethi	35	M	Nasal Swab	12.03.2022	Negative	8018686890	Kenaveta SNG
22	Cov/261670	2137301226381	Fulmani Kishan	25	F	Nasal Swab	12.03.2022	Negative	8018686890	Kenaveta SNG

23	Cov/261671	2137301226511	Debasis Bhoi	22	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG
24	Cov/261672	2137301226516	Suprim Behera	22	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG
25	Cov/261673	2137301226518	Trinath Naik	22	M	Nasal Swab	12.03.2022	Negative	8144648374	Narasingh Pur SNG

Prepared by:



Krishna Ch. Majhi

Checked and Approved by:



Dr. Ashit Bhusan Xess

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*

