



DEPARTMENT OF MICROBIOLOGY
ISPAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report


Date and time of reporting	12.04.2023; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	11.04.2023; 09:00 A.M.
Date & Time of receipt of specimen	12.04.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/319997	2137301504529	Fransiska Marki	22	F	Nasal Swab	12.04.2023	Negative	8018689038	Dumerta Bondamunda
2	Cov/319998	2137301504530	Anupama Das	45	F	Nasal Swab	12.04.2023	Negative	9178236654	Sector 15 Rourkela
3	Cov/319999	2137301504533	Mukunda Mahanta	45	M	Nasal Swab	12.04.2023	Negative	8847845712	Kapatmunda Bisra
4	Cov/320000	2137301504535	Ashok Mohanty	62	M	Nasal Swab	12.04.2023	Negative	8093428190	M S Palli Rourkela
5	Cov/320001	2137301504537	Nandu Mohanty	52	M	Nasal Swab	12.04.2023	Negative	8093428190	M S Palli Rourkela
6	Cov/320002	2137301504548	Amar Bisoyi	38	M	Nasal Swab	12.04.2023	Negative	7848819729	Sector 1 Rourkela
7	Cov/320003	2137301504551	Saraswati Das	18	F	Nasal Swab	12.04.2023	Negative	7854078233	Fertilizer RKL
8	Cov/320004	2137301504557	Khetrabasi Mohapatra	45	M	Nasal Swab	12.04.2023	Negative	9438239353	Shaktinagar RKL
9	Cov/320005	2137301504560	Salan Lugun	35	M	Nasal Swab	12.04.2023	Negative	8118045535	Pf Colony RKL
10	Cov/320006	2137301504562	Dhaneswar Mahanta	39	M	Nasal Swab	12.04.2023	Negative	7609805891	Nepali Basti Bondamunda
11	Cov/320007	2137301504565	Saroj Mahanta	39	M	Nasal Swab	12.04.2023	Negative	9438168298	Jalda C Block RKL
12	Cov/320008	2137301504569	Sawan Ekka	29	M	Nasal Swab	12.04.2023	Negative	7789873574	G D Palli Rourkela
13	Cov/320009	2137301504572	Sunil Tirkey	45	M	Nasal Swab	12.04.2023	Negative	7488559435	Jhirpani Rourkela
14	Cov/320010	2137301504575	Sangita Jena	22	F	Nasal Swab	12.04.2023	Negative	8260619522	Lathikata Sundargarh
15	Cov/320011	2137301504581	Shiv Kumar Sahani	55	M	Nasal Swab	12.04.2023	Negative	9189245155	Plant Site Rourkela
16	Cov/320012	2137301504585	Sumitra Gandha	60	F	Nasal Swab	12.04.2023	Negative	6370546285	Barahbans Birmitrapur
17	Cov/320013	2137301504591	Jeto Konder	67	M	Nasal Swab	12.04.2023	Negative	8984002232	Sector 18 Rourkela
18	Cov/320014	2137301504593	Priti Gardia	32	F	Nasal Swab	12.04.2023	Negative	9861268862	Basanti Colony RKL Sng
19	Cov/320015	2137301504641	Nainika Sukhla	22	F	Nasal Swab	12.04.2023	Negative	9861746011	Koelnagar RKL
20	Cov/320016	2137301504643	Raj Lima	18	M	Nasal Swab	12.04.2023	Negative	9861746011	Koelnagar RKL
21	Cov/320017	2137301504645	Gatikrushna Mahato	37	M	Nasal Swab	12.04.2023	Negative	8328995863	Bagbudi RKL

22	Cov/320018	2137301504650	Mankuver Devi	47	F	Nasal Swab	12.04.2023	Negative	9981661178	Jareikela Jharkhand
23	Cov/320019	2137301504652	Kishor Chandra Amat	29	M	Nasal Swab	12.04.2023	Negative	8328835784	Kutra Beldihi
24	Cov/320020	2137301504654	Suchismita Parida	16	F	Nasal Swab	12.04.2023	Negative	6372854595	Sector 5 Rourkela
25	Cov/320021	2137301504655	Kamal Pradhan	60	M	Nasal Swab	12.04.2023	Negative	7735095305	Benta Nuagaon
26	Cov/320022	2137301504656	Abhiram Das	72	M	Nasal Swab	12.04.2023	Negative	9596600187	G D Palli Rourkela

Prepared by:

Checked and Approved by:



Hemanti Sabar



Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*