



DEPARTMENT OF MICROBIOLOGY  
ISPAT GENERAL HOSPITAL  
SAIL, RSP, Rourkela

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	12.09.2022; 04:30 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	11.09.2022; 09:00 A.M.
Date & Time of receipt of specimen	12.09.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/302845	2137301412287	Rishika Agarwal	22	F	Nasal Swab	12.09.2022	Negative	7008475561	Q- 2 Civil Township, RKL
02	Cov/302846	2137301412290	Mohammed Ashlam Khan	32	M	Nasal Swab	12.09.2022	Negative	9776451960	V-9 Civil Township, RKL
03	Cov/302847	2137301412293	Mohammad Saju Miya	47	M	Nasal Swab	12.09.2022	Negative	7064963687	Uditnagar, RKL
04	Cov/302848	2137301412295	Swarnima Nayak	64	F	Nasal Swab	12.09.2022	Negative	9078856326	JE M21 Jagda, RKL
05	Cov/302849	2137301412297	Pammy Kumari	20	F	Nasal Swab	12.09.2022	Negative	9861157660	Uditnagar, RKL
06	Cov/302850	2137301412299	Raj Kumar Sah	33	M	Nasal Swab	12.09.2022	Negative	9861157660	Uditnagar, RKL
07	Cov/302851	2137301412301	Katakata Jangaya Narayana	38	M	Nasal Swab	12.09.2022	Negative	9668459333	B Colony, RKL
08	Cov/302852	2137301412303	Bulu Nayak	44	M	Nasal Swab	12.09.2022	Negative	7008331449	A -123 Sector 8, RKL
09	Cov/302853	2137301412305	Pratap Kumar Sahu	37	M	Nasal Swab	12.09.2022	Negative	7008331449	A-123 Sector 8, RKL
10	Cov/302854	2137301412308	Shiba Bisoi	35	M	Nasal Swab	12.09.2022	Negative	7008331449	A/123 Sector 8, RKL, SNG
11	Cov/302855	2137301412314	Jagannath Prusty	38	M	Nasal Swab	12.09.2022	Negative	7008331449	A/123 Sector 8, RKL, SNG
12	Cov/302856	2137301412315	Chandan Kumar Jha	32	M	Nasal Swab	12.09.2022	Negative	9861408048	Basanti Colony Rm/32, RKL, SNG
13	Cov/302857	2137301412317	Sarojini Nayak	51	F	Nasal Swab	12.09.2022	Negative	8594886605	C/264 Koelnagar, RKL, SNG
14	Cov/302858	2137301412318	Nazia Talat	32	F	Nasal Swab	12.09.2022	Negative	9439433485	Panposh, RKL, SNG

Prepared by:

Krishna Ch. Majhi

Checked and Approved by:

Dr. Ashit Bhusan Xess

डा. अशीत भुषन खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

*Interpretation guidance:-*

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \**
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*