



**DEPARTMENT OF MICROBIOLOGY**  
**ISPAT GENERAL HOSPITAL**  
**SAIL, RSP, Rourkela**

**COVID-19 (RT-PCR) Test Report**

Date and time of reporting	12.12.2022; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
<b>SPECIMEN DETAILS</b>	
Date & Time of sample collection	10.12.2022; 09:00 A.M.
Date & Time of receipt of specimen	12.12.2022; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
<b>REPORTING DETAILS</b>	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
1	Cov/315376	2137301468582	Rishi Bhuniya	62	F	Nasal Swab	12.12.2022	Negative	8260590064	Kadalka Nuagaon
2	Cov/315377	2137301468586	Chari Tirkey	47	F	Nasal Swab	12.12.2022	Negative	7656950265	Gadha Tola Balanda
3	Cov/315378	2137301468588	Rina Nayak	21	F	Nasal Swab	12.12.2022	Negative	7381318913	Bangla Tola RKL
4	Cov/315379	2137301468605	Anil Tirkey	25	M	Nasal Swab	12.12.2022	Negative	7205824128	Munda Tola Lathikata
5	Cov/315380	2137301468641	Manoj Nanda	37	M	Nasal Swab	12.12.2022	Negative	8249858703	Fertilizer RKL
6	Cov/315381	2137301468644	Santi Tanty	50	F	Nasal Swab	12.12.2022	Negative	9776441701	Chhend Basti RKL
7	Cov/315382	2137301468647	Salomi Lama	35	F	Nasal Swab	12.12.2022	Negative	6372811948	Chhend Rourkela
8	Cov/315383	2137301468653	Dulari Biswal	25	F	Nasal Swab	12.12.2022	Negative	7681852311	Sector 6 RKL
9	Cov/315384	2137301468657	Asish Jena	20	M	Nasal Swab	12.12.2022	Negative	8018908075	Vedvyas RKL
10	Cov/315385	2137301468659	Hrushikesh Mirdha	22	M	Nasal Swab	12.12.2022	Negative	8144439520	Vedvyas Rourkela
11	Cov/315386	2137301468662	Hasim Khurasi	28	M	Nasal Swab	12.12.2022	Negative	8114543293	Nalaroad Rourkela
12	Cov/315387	2137301468667	Saraswati Kumbhar	25	F	Nasal Swab	12.12.2022	Negative	9668494062	Sector 20 RKL
13	Cov/315388	2137301468671	Baby Majhi	45	F	Nasal Swab	12.12.2022	Negative	7790080138	G D Palli Rourkela
14	Cov/315389	2137301468676	Abhimanyu Sethi	40	M	Nasal Swab	12.12.2022	Negative	9938021684	Hamirpur Rourkela
15	Cov/315390	2137301468678	Subrat Mohanty	32	M	Nasal Swab	12.12.2022	Negative	7008355079	Fertilizer RKL
16	Cov/315391	2137301468687	Jaibant Soy	47	M	Nasal Swab	12.12.2022	Negative	9937268665	Vedvyad RKL
17	Cov/315392	2137301468714	Sk Mehebab	18	M	Nasal Swab	12.12.2022	Negative	7326961777	Chhend RKL
18	Cov/315393	2137301468715	Sohan Agarwal	30	M	Nasal Swab	12.12.2022	Negative	8594992899	Power House Road RKL
19	Cov/315394	2137301468716	Devi Prasad Sahoo	15	M	Nasal Swab	12.12.2022	Negative	8249626486	Sector-16 RKL
20	Cov/315395	2137301468717	Saran Kumar Pradhan	35	M	Nasal Swab	12.12.2022	Negative	8757222316	Goelkera RKL SNG
21	Cov/315396	2137301468718	Phulmani Bhumij	14	F	Nasal Swab	12.12.2022	Negative	6372513138	Balughat RKL

22	Cov/315397	2137301468719	Budhani Lohar	52	F	Nasal Swab	12.12.2022	Negative	7077470510	Sector-2 RKL
23	Cov/315398	2137301468720	Amit Sahu	12	M	Nasal Swab	12.12.2022	Negative	7894572612	Birmitrapur RKL
24	Cov/315399	2137301468721	Goutam Charan Nayak	70	M	Nasal Swab	12.12.2022	Negative	9437861421	Dandiapali RKL
25	Cov/315400	2137301468722	Swarup Paramanik	37	M	Nasal Swab	12.12.2022	Negative	9777255441	Daily Market RKL
26	Cov/315401	2137301468723	Ragini Devi	29	F	Nasal Swab	12.12.2022	Negative	9438823009	Bondamunda RKL
27	Cov/315402	2137301468724	Ramesh Rout	51	M	Nasal Swab	12.12.2022	Negative	7596082265	Rly Colony RKL
28	Cov/315403	2137301468830	Kumar Abhisek Rout	28	M	Nasal Swab	12.12.2022	Negative	8018246217	Sector - 21, RKL
29	Cov/315404	2137301468831	Sapna Kumari	23	F	Nasal Swab	12.12.2022	Negative	9583254225	Basanti Colony, RKL

**Prepared by:**

**Krishna Ch. Majhi**

**Checked and Approved by:**

**Dr. Ashit Bhusan Xess**

डॉ. अशीत भूषण खेस  
Dr. ASHIT BHUSAN XESS  
Consultant Microbiologist  
SAIL, RSP, IGH, Rourkela

*Note: The results relate only to the specimens tested and should be correlated with clinical findings.*

**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.
- A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection\*
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. \*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR