



DEPARTMENT OF MICROBIOLOGY
IS PAT GENERAL HOSPITAL
SAIL, RSP, Rourkela

COVID-19 (RT-PCR) Test Report

Date and time of reporting	13.02.2023; 03:00 P.M.
Address of the referring facility/Hospital	Rourkela Government Hospital, Rourkela
SPECIMEN DETAILS	
Date & Time of sample collection	12.02.2023; 09:00 A.M.
Date & Time of receipt of specimen	13.02.2023; 08:30 A.M.
Condition of specimens received / Quality on arrival	Acceptable
REPORTING DETAILS	

Sr. No.	Sample ID	SRF ID	Patient Name	Age	Sex	Specimen type	Date of sample testing	Result 2019-nCoV	Mobile No.	Address
01	Cov/317956	2137301489479	Laxmi Sahu	30	M	Nasal Swab	13.02.2023	Negative	7205218187	M S Palli RKL
02	Cov/317957	2137301489480	Sushama Bag	22	M	Nasal Swab	13.02.2023	Negative	8018073442	Danjore Gobindpur
03	Cov/317958	2137301489481	Santosh Tandri	22	M	Nasal Swab	13.02.2023	Negative	7606096707	Sector- 6 RKL
04	Cov/317959	2137301489482	Kabir Shekh	26	M	Nasal Swab	13.02.2023	Negative	7003386193	Nuagaon SNG
05	Cov/317960	2137301489483	Rimish Surin	60	M	Nasal Swab	13.02.2023	Negative	9178460433	Kutra RKL SNG
06	Cov/317961	2137301489484	Sonu Kishan	24	M	Nasal Swab	13.02.2023	Negative	8926102079	Sector-1 RKL
07	Cov/317963	2137301489486	Jibiha Kerketta	60	M	Nasal Swab	13.02.2023	Negative	9827413246	Hatibari RKL
08	Cov/317964	2137301489487	Ghuran Tirkey	65	M	Nasal Swab	13.02.2023	Negative	7606060402	Kuarmunda RKL
09	Cov/317965	2137301489488	Makru Munda	35	M	Nasal Swab	13.02.2023	Negative	8763885704	Lahunipada RKL
10	Cov/317966	2137301489509	Debrat Moharana	37	M	Nasal Swab	13.02.2023	Negative	8018172022	Sector-3RKL
11	Cov/317967	2137301489510	Tilottama Sahu	73	M	Nasal Swab	13.02.2023	Negative	9861114412	Plant Site RKL
12	Cov/317968	2137301489512	Rajesh Nayak	45	M	Nasal Swab	13.02.2023	Negative	9692385816	Uditnagar RKL
13	Cov/317970	2137301489514	Bijay Oram	16	M	Nasal Swab	13.02.2023	Negative	7656926241	Gurundia SNG
14	Cov/317971	2137301489515	Chhotu Kumar	25	M	Nasal Swab	13.02.2023	Negative	7750046590	Bisra RKL SNG

Prepared by:

Hemanti

Hemanti Sabar

Checked and Approved by:

Dr. Ashit Bhusan Xess

Dr. Ashit Bhusan Xess

डॉ. अशीत भूषन खेस
Dr. ASHIT BHUSAN XESS
Consultant Microbiologist
SAIL, RSP, IGH, Rourkela

Note: The results relate only to the specimens tested and should be correlated with clinical findings.

Interpretation guidance:-

- *Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/ any other health care facility affirming requirements of the case definition/s.*
- *A single negative test result, particularly if this is from an upper respiratory tract specimen, does not exclude infection**
- *A positive test result is only tentative, and will be reconfirmed by retesting.*
- *Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease. The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required. **
- *A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.*
- *Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR*